

Name:

Contact Number:


Email:

Cover or Spa? Which should I measure?


If your current cover fits perfectly, then measure the cover, there is nothing better. However, if your cover is waterlogged, warped, or misshapen, you should measure your spa as well to ensure the new lid fits properly.

Where should I measure?


First, measure your dimensions based on the installation type that best matches your own:



For spa cabinets with no rail:
Measure from the widest point on the acrylic lip.



For spa cabinets with a rail:
Measure from the widest points on the rail. .



For in-ground spas:
Measure from the widest points above ground

1. How should I measure it?


Measure each requested dimension in inches or mm at the widest point. Round up every measurement to the nearest half inch. A rule of thumb is that if a cover is a little too big, it will work fine. If it's small, it probably won't.

Interactive Cover Measuring Guide

Save yourself some time, print from page 2 and take them with you when you measure your spa.

2017-2020

2. Pick a shape from below that best represents your hot tub lid shape, make a note below, then measure?



Cover Type:

DIMENSION A:

DIMENSION B:

DIMENSION C:

IMPORTANT: Get the Fold Right! – (the dotted lines in the shapes above represent the fold)


95% of the time the fold cuts the longest dimension (typically A) in half but it can cut the shortest dimension in half too. We eliminate any potential confusion with this simple rule:

The fold always cuts the A dimension in half. Be sure to enter the right dimension in “A.” TAKE YOUR TIME TO GET THIS RIGHT.

Picture A

Picture B

Picture C



Picture A - Never measure the exact hinge as it is typically 1” shorter than the actual lid

3. Measure the Skirt (Picture B)


The skirt extends down from your cover bottom and overlaps the top of your spa. Cover skirts protect the acrylic of your spa from UV damage so it's important that they hang down enough to cover the acrylic. If your spa has a rail that sticks out from the cabinet under the acrylic, most people extend the skirt down past the rail. If you do this, be sure the cover is wide enough around so that the skirt can hang straight down.

Cover Skirt Length

Save yourself some time, print from page 2 and take them with you when you measure your spa.

4. Measure the Straps (Picture C)

Please measure cover safety straps from the bottom of the cover down to where the strap meets the clip (don't include the clip itself), please note we have to supply straps legally, you can remove them yourself if you so wish, we would not recommend this for outside tubs.....



Strap Length		Strap configuration :	C	D
--------------	--	-----------------------	---	---

5. The easiest part, pick a colour:



6. Measure the Radius

Radius	
--------	--

If your spa has radius corners, then to correctly measure the corner radius use this diagram to help you. If you have not got a carpenter's square, use our radius template downloadable at our website. The key is not to make the radius too big, when in doubt take the smaller measurement. Attached is a radius indicator that when printed can be placed directly over the hot tub cover radius to check your measurements.

