

# **DIMENSIONES**

**DIMENSIONS** 

Rev. Año / Year:

Pág./Page ESP / ENG


01

2008

1/2

CÓDIGOS/CODES: 35375, 35376, 35377

### Montaje bomba impulsión vertical



#### Accesorios recomendados para el montaje (no incluidos en el kit)

Pos.	Cant.	Denominación	Código
1	1	Válvula PVC Ø63 mm	02458
2	2	Codo PVC 90° Ø 63 mm	01717
3	2	Reducción cónica Ø90-75x63	01993
4	1	Codo PVC 90° Ø 75 mm	01718
5	1	Válvula PVC Ø75 mm	02459
6	1	Reducción cónica Ø110-90x75	01997
-	-	Tubo PVC Ø63 mm PN-6	02692
-	-	Tubo PVC Ø75 mm PN-6	02693

CAJA CONEXIÓN ELÉCTRICA: debe ser instalada en área seca


Dimensiones en mm Dimensiones mínimas del pozo: 1200 x 1000 x 700 mm



## **DIMENSIONES DIMENSIONS**

Rev. 01 Año / Year: 2008 Pág./Page ESP / ENG 2/2

## Pump assembly with vertical discharge



Accesssories recommended for the assembly (not included in the kit)

Pos.	Q.	Denomination	Code
1	1	PVC Valve Ø63 mm	02458
2	2	PVC elbow 90° Ø 63 mm	01717
3	2	Conical reduction Ø90-75x63 mm	01993
4	1	PVC elbow 90° Ø 75 mm	01718
5	1	PVC Valve Ø75 mm	02459
6	1	Conical reduction Ø110-90x75 mm	01997
-	-	PVC Pipe Ø63 mm PN-6	02692
-	1	PVC Pipe Ø75 mm PN-6	02693

ELECTRIC CONNEXION BOX: must be installed in a dry area

Dimensions in mm Minimum pit dimensions: 1200 x 1000 x 700 mm