



# Balboa Ultrazo<sub>3</sub>ne™

## SANITATION SYSTEMS FOR SPAS

Disinfect your water naturally


### OVERVIEW

- Ultrazo<sub>3</sub>ne™ produces powerful oxidant.
- Ultrazo<sub>3</sub>ne™ disinfects water by killing viruses and biological contaminants.
- Ultrazo<sub>3</sub>ne™ reduces the use of chemical levels which means reducing the discomfort of skin and eye irritations.
- Low power consumption.
- Designed & tested specially for Spa and Bath applications.
- Available in 120V or 240V, 50/60Hz.
- Small and compact unit
- UL/cUL, CE, & AS/NZS certified.



### FOR MORE INFORMATION

Visit us online: [www.balboawater.com/ultrazo3ne](http://www.balboawater.com/ultrazo3ne)



# Ultrazo<sub>3</sub>ne™

## SANITATION SYSTEMS

### THE ULTRAZO<sub>3</sub>NE™ FAMILY

The Ultrazo<sub>3</sub>ne™ family of ozone generators were designed by Balboa, the leader in reliability in spa controls for over 20 years. These compact ozone generators were created specifically to withstand the demanding environment of the hot tub. Our compact ozone generators have a smaller footprint and save energy as well. Balboa ozone generators are fully epoxy potted protecting them from harsh corroding environments and they produce stable ozone output over a wide range of temperatures.

### WHY BALBOA'S ULTRAZO<sub>3</sub>NE™ OZONE GENERATORS ARE SUPERIOR



#### Spa Solutions

Powerful ozone generators are designed for spa applications



#### Electronic Supply

Included electronic power supply



#### Communications

LED indicator light

#### More flexibility with more choices:

- ✓ **Low Power Consumption (1/3 the energy of conventional UV generators)**
- ✓ **Available in 120V & 240V | 50/60Hz**
- ✓ **Unique design CD Ozone Cell with solid stainless-steel electrode for exceptional longevity**
- ✓ **No air gaps, no exposed contacts & no corrosion**
- ✓ **Fully epoxy potted**
- ✓ **Thick, built-in mounting tabs for easy installations**
- ✓ **Compact and smaller footprint**
- ✓ **Built & tested by UL & SGS to North America and International standards both in safety & EMC.**
- ✓ **IPX5 Rated**
- ✓ **Double Insulation rated**
- ✓ **High shock, vibration and drop resistant**
- ✓ **Cool operation with low heat generation**
- ✓ **Super low production & field failure rates**
- ✓ **Silicone air filter included**
- ✓ **Enclosure & inlet/outlet barbs are made with UV /Ozone resistant plastics**
- ✓ **Extra thick inlet/outlet barb to prevent breakage**


Conform to standards: UL1563, CSA C22.2 No. 218.1-13, CB Scheme IEC 60335-2-60, EN55014-1/-2, EN61000-3-2 & 3. Markings: UL/cUL, CE, RCM.

# Ultra<sub>3</sub>ne™

## SANITATION SYSTEMS

### DIMENSIONS

(Standard Configuration)



### SPECIFICATIONS

	120V	240V
Agency Model No.:	OZBWG-120V	OZBWG-240V
Bulk Part No.:	59087	59088
Kit Part No.:	59087-KIT	59088-KIT
Rating:	120VAC, 0.3A(Max.), 50/60Hz	240VAC, 0.3A(Max.), 50/60Hz
Ozone Output: Air flow at 0.8L/min	50mg/hr	50mg/hr
Approval Marks	UL/cUL	UL/cUL, CE, RCM, IPX5, WEEE
Cable:	5ft cable 4pin AMP Connector	5ft cable 4pin AMP Connector

Note: Kit includes 1 ea. Ultra<sub>3</sub>ne™, 1 ea. check valve, 5ft. flexible hose, 1 ea. air filter, 1 ea. installation manual and individually packed.

\* Custom ozone outputs, input power connectors and private labels are available upon request.

P/N: 42321\_0719 ULTRA<sub>3</sub>NE™ SANITATION FOR SPAS

©2019 Balboa Water Group. Single Source Solution. All rights reserved.

3030 Airway Avenue | Costa Mesa, CA 92626 | p 714.384.0384 | www.balboawater.com

Specifications subject to change without notice.

**BALBOA**  
water group