

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 24.2

Revision: 22.09.2020

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

1.1 Product identifier

Trade name: **hth[™] ULTRA KLERAL**

Article number: 11108 hth

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use SU21 Consumer uses: Private households / general public / consumers

Product category

PC37 Water treatment chemicals

PC8 Biocidal products

Application of the substance / the mixture

Algicide

Biocide

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

INNOVATIVE WATER CARE EUROPE
BP 219 - 37402 Amboise Cedex - FRANCE

phone : +33 (0)2 47 23 43 00

fax : +33 (0)2 47 23 12 21

eu.sds@sigurawater.com

INNOVATIVE WATER CARE Ltd

The Studios - Colorado Way - Castleford - West Yorkshire -

WF10 4TA - UNITED KINGDOM

Telephone: +44 (0) 1924 792909

eu.sds@sigurawater.com

1.4 Emergency telephone number:

Europe >>> NCEC - Tel. +44 (0)1235 239 670

Africa & Middle East >>> NCEC - Tel. +44 (0)1235 239 671

(Contd. on page 2)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 24.2

Revision: 22.09.2020

Trade name: hth[™] ULTRA KLERAL

N.AMERICA
780 2970}

>>> ACEAN (Arch Chemicals Emergency Action Network) - Tel. +1 423

(Contd. of page 1)

CALL A LOCAL NATIONAL POISON CONTROL UNIT
FOR UK CONTACT NCEC Tel 01865 407 333

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS09

Signal word Warning

Hazard statements

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container to special treatment scheme according to official regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

(Contd. on page 3)
GB

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 24.2

Revision: 22.09.2020

Trade name: hth™ ULTRA KLERAL

vPvB: Not applicable.

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

| | | |
|----------------------------|--|---------|
| CAS: 25988-97-0 Polymer | Polymerised quaternary Ammonium compound  Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1);  Acute Tox. 4, H302 | 10-<25% |
|----------------------------|--|---------|

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Rinse with warm water.

After eye contact Rinse opened eye for several minutes under running water.

After swallowing If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Water spray

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 24.2

Revision: 22.09.2020

Trade name: hth[™] ULTRA KLERAL

(Contd. of page 3)

6.2 Environmental precautions:

Keep contaminated washing water and dispose of appropriately.
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly.

Handling



DO NOT MIX WITH OTHER PRODUCTS
DO NOT DILUTE BEFORE USE

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 24.2

Revision: 22.09.2020

Trade name: hth[™] ULTRA KLERAL

(Contd. of page 4)

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures Wash hands before breaks and at the end of work.

Respiratory protection: Not required.

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Rubber gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Goggles recommended during refilling.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

| | |
|-------------------------|-----------------|
| Form: | Viscous |
| Colour: | Dark blue |
| Odour: | Characteristic |
| Odour threshold: | Not determined. |

pH-value at 20 °C: 7.2

Change in condition

| | |
|---|--------------|
| Melting point/freezing point: | undetermined |
| Initial boiling point and boiling range: | 100 °C |

(Contd. on page 6)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 24.2

Revision: 22.09.2020

Trade name: hth[™] ULTRA KLERAL

(Contd. of page 5)

| | |
|--|---|
| Flash point: | Not applicable |
| Flammability (solid, gaseous) | Not applicable. |
| Decomposition temperature: | Not determined. |
| Auto-ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Vapour pressure at 20 °C: | 23 hPa |
| Density at 20 °C: | 1.072 g/cm ³ |
| Relative density | Not determined. |
| Vapour density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with Water: | Fully miscible |
| Partition coefficient: n-octanol/water: | Not determined. |
| Viscosity: | |
| dynamic: | Not determined. |
| kinematic: | Not determined. |
| Solvent content: | |
| Water: | 75.3 % |
| Solids content: | 0.0 % |
| 9.2 Other information | No further relevant information available. |

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

(Contd. on page 7)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 24.2

Revision: 22.09.2020

Trade name: hth™ ULTRA KLERAL

(Contd. of page 6)

- 10.3 Possibility of hazardous reactions** No dangerous reactions known
- 10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

| | | |
|--------|------|-----------------------|
| Oral | LD50 | 3,813 mg/kg (rat) |
| Dermal | LD50 | >4,090 mg/kg (rabbit) |

CAS: 25988-97-0 Polymerised quaternary Ammonium compound

| | | |
|--------|------|-----------------------|
| Oral | LD50 | 1,865 mg/kg (rat) |
| Dermal | LD50 | >2,000 mg/kg (rabbit) |

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Additional toxicological information:

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

| | | |
|------|---------------|---|
| Oral | LC50 - 96 hrs | 0.572 mg/l (bluegill sunfish) 0.145 mg/l (rainbow trout) |
|------|---------------|---|

(Contd. on page 8)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 24.2

Revision: 22.09.2020

Trade name: hth™ ULTRA KLERAL

(Contd. of page 7)

CAS: 25988-97-0 Polymerised quaternary Ammonium compound

| | | |
|------|---------------|--|
| Oral | LC50 - 96 hrs | 0.077 mg/l (rainbow trout) (OECD Test Guideline 203) |
| | CE50 - 48 hrs | 0.084 mg/l (daphnia magna) (OECD Test Guideline 202) |

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark:

Very toxic for fish

Toxic for fish

Additional ecological information:

General notes:

Generally not hazardous for water.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Toxic for aquatic organisms

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN-Number
 ADR, IMDG, IATA

UN3082

(Contd. on page 9)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 24.2

Revision: 22.09.2020

Trade name: hth™ ULTRA KLERAL

(Contd. of page 8)

14.2 UN proper shipping name
ADR

3082 ENVIRONMENTALLY HAZARDOUS
 SUBSTANCE, LIQUID, N.O.S. (Polymerised
 quaternary Ammonium compound)
 ENVIRONMENTALLY HAZARDOUS
 SUBSTANCE, LIQUID, N.O.S. (Polymerised
 quaternary Ammonium compound), MARINE
 POLLUTANT
 ENVIRONMENTALLY HAZARDOUS
 SUBSTANCE, LIQUID, N.O.S. (Polymerised
 quaternary Ammonium compound)

IMDG

IATA

14.3 Transport hazard class(es)

ADR



Class

9 (M6) Miscellaneous dangerous substances
 and articles.

Label

9

IMDG, IATA



Class

9 Miscellaneous dangerous substances and
 articles.

Label

9

14.4 Packing group

ADR, IMDG, IATA

III

14.5 Environmental hazards:

Marine pollutant:

Yes

Special marking (ADR):

Symbol (fish and tree)

Special marking (IATA):

Symbol (fish and tree)

14.6 Special precautions for user

Symbol (fish and tree)

Warning: Miscellaneous dangerous substances
 and articles.

Hazard identification number (Kemler code):

90

EMS Number:

F-A,S-F

(Contd. on page 10)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 24.2

Revision: 22.09.2020

Trade name: hth[™] ULTRA KLERAL

(Contd. of page 9)

Stowage Category A
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

Transport/Additional information:

ADR
Excepted quantities (EQ): 5L
Limited quantities (LQ) Code: E1
Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml
Transport category 3
Tunnel restriction code -

IMDG
Limited quantities (LQ) 5L
Excepted quantities (EQ) Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation": UN 3077 / UN 3082 - These substances when carried in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8
 UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (POLYMERISED QUATERNARY AMMONIUM COMPOUND), 9, III

GB

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 24.2

Revision: 22.09.2020

Trade name: hth[™] ULTRA KLERAL

(Contd. of page 10)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EU) No 528/2012

Best before : see date on packaging

Providing this container when empty is thoroughly rinsed out in the pool, it may be disposed of via the recycling scheme

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E1 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

(Contd. on page 12)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.06.2021

Rev. Index : 24.2

Revision: 22.09.2020

Trade name: hth[™] ULTRA KLERAL

(Contd. of page 11)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - oral – Category 4

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

*** Data compared to the previous version altered.**

GB