

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 20.3

Revision: 23.03.2021

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking****1.1 Product identifier****Trade name: hth[™] MINI-EASYCLIC****Article number:** 11713 hth**UFI:** E672-30UF-9007-ANXE**1.2 Relevant identified uses of the substance or mixture and uses advised against****Sector of Use** SU21 Consumer uses: Private households / general public / consumers**Product category**

PC37 Water treatment chemicals

PC8 Biocidal products

Application of the substance / the mixture Water treatment - Solid Chlorinating agent**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

INNOVATIVE WATER CARE EUROPE

BP 219 - 37402 Amboise Cedex - FRANCE

phone : +33 (0)2 47 23 43 00

fax : +33 (0)2 47 23 12 21

eu.sds@sigurawater.com

INNOVATIVE WATER CARE Ltd

The Studios - Colorado Way - Castleford - West Yorkshire -

WF10 4TA - UNITED KINGDOM

Telephone: +44 (0) 1924 792909

eu.sds@sigurawater.com

1.4 Emergency telephone number:

Europe >>> NCEC - Tel. +44 (0)1235 239 670

Africa & Middle East >>> NCEC - Tel. +44 (0)1235 239 671

N.AMERICA >>> ACEAN (Arch Chemicals Emergency Action Network) - Tel. +1 423

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 20.3

Revision: 23.03.2021

Trade name: hth[™] MINI-EASYCLIC

780 2970}

(Contd. of page 1)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

STOT SE 3 H335 May cause respiratory irritation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled in accordance with the CLP regulation and taking into account the results of test sponsored by the manufacturer

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05 GHS07 GHS09

Signal word Danger

Hazard-determining components of labelling:

Symclosene {trichloroisocyanuric acid <> trichloro-1,3,5-triazinetriion}
aluminium sulphate

Hazard statements

H302 Harmful if swallowed.

(Contd. on page 3)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 20.3

Revision: 23.03.2021

Trade name: hth[™] MINI-EASYCLIC

(Contd. of page 2)

H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 Wash thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection / face protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P330 Rinse mouth.
P391 Collect spillage.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
P501 Dispose of contents/container to special treatment scheme according to official regulations.

Additional information:

EUH031 Contact with acids liberates toxic gas.
EUH206 EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 4)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 20.3

Revision: 23.03.2021

Trade name: hth[™] MINI-EASYCLIC

(Contd. of page 3)

Dangerous components:		
CAS: 87-90-1 EINECS: 201-782-8 Index number: 613-031-00-5	Symclosene {trichloroisocyanuric acid <-> trichloro-1,3,5-triazinetriion} ⚠ Ox. Sol. 2, H272; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335	50-<100%
CAS: 10043-01-3 EINECS: 233-135-0 Reg.nr.: 01-2119531538-36-XXXX	aluminium sulphate ⚠ Eye Dam. 1, H318	10-<25%
CAS: 10043-35-3 EINECS: 233-139-2 Index number: 005-007-00-2 Reg.nr.: 01-2119486683-25-XXXX	boric acid ⚠ Repr. 1B, H360FD Specific concentration limit: Repr. 1B; H360: C ≥ 5.5 %	0.1-<2.5%

SVHC

Contains less than de 5.5% of boric acid (Repr. 1B; H360FD: C ≥ 5,5 %).
 Boric acid is included in the Candidate List of Substances of Very High Concern (SVHC) of the European Chemical Agency (ECHA)

CAS: 10043-35-3 | boric acid

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take affected persons out into the fresh air.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Rinse with warm water.

After eye contact

Rinse opened eye for several minutes (15) under running water. Then consult a doctor.

After swallowing Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 20.3

Revision: 23.03.2021

Trade name: hth[™] MINI-EASYCLIC

(Contd. of page 4)

4.3 Indication of any immediate medical attention and special treatment needed
No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Water spray

Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents Extinguishing powder.

5.2 Special hazards arising from the substance or mixture

Carbon monoxide (CO)

Hydrogen chloride (HCl)

5.3 Advice for firefighters

Protective equipment: Mount respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Keep contaminated washing water and dispose of appropriately.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Thorough dedusting.

(Contd. on page 6)

GB

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 20.3

Revision: 23.03.2021

Trade name: hth[™] MINI-EASYCLIC

(Contd. of page 5)

Ensure good ventilation/exhaustion at the workplace.

Handling



DO NOT MIX WITH OTHER PRODUCTS
DO NOT DISSOLVE BEFORE USE

Information about fire - and explosion protection: Substance/product is oxidising when dry.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Do not store together with acids.

Further information about storage conditions: Keep receptacle tightly sealed.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7.

Ingredients with limit values that require monitoring at the workplace:

CAS: 10043-01-3 aluminium sulphate

WEL | Long-term value: 2 mg/m³

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 7)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 20.3

Revision: 23.03.2021

Trade name: hth[™] MINI-EASYCLIC

(Contd. of page 6)

Protection of hands:
 Neoprene gloves



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	Tablets
Colour:	White
Odour:	Characteristic
Odour threshold:	Not determined.

pH-value at 20 °C:	3
---------------------------	---

Change in condition

Melting point/freezing point:	undetermined
--------------------------------------	--------------

(Contd. on page 8)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 20.3

Revision: 23.03.2021

Trade name: hth[™] MINI-EASYCLIC

(Contd. of page 7)

Initial boiling point and boiling range: undetermined

Flash point: Not applicable

Flammability (solid, gaseous) Not determined.

Ignition temperature: 250 °C

Decomposition temperature: 220 - 230 °C

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Explosion limits:
Lower: Not determined.
Upper: Not determined.

Vapour pressure: Not applicable.

Density: Not determined
Relative density Not determined.
Vapour density Not applicable.
Evaporation rate Not applicable.

**Solubility in / Miscibility with
 Water at 20 °C:** 12 g/l

Partition coefficient: n-octanol/water: Not determined.

Viscosity:
dynamic: Not applicable.
kinematic: Not applicable.

Solvent content:

Solids content: 100.0 %

9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

(Contd. on page 9)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 20.3

Revision: 23.03.2021

Trade name: hth[™] MINI-EASYCLIC

(Contd. of page 8)

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with strong oxidizing agents

Reacts with alcohols, amines, aqueous acids and alkalis

NEVER MIX THIS PRODUCT WITH INORGANIC CHLORINE (HYPOCHLORITE) WITHIN THE SAME CONTAINER

Reacts with flammable substances

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials:

Warning! Do not use together with other products. May release dangerous gases (chlorine).

10.6 Hazardous decomposition products: Poisonous gases/vapours

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Harmful if swallowed.

LD/LC50 values relevant for classification:

CAS: 87-90-1 Symclosene {trichloroisocyanuric acid <> trichloro-1,3,5-triazinetriion}

Oral	LD50	490 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

CAS: 10043-35-3 boric acid

Oral	LD50	2,660 mg/kg (rat)
------	------	-------------------

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Additional toxicological information:

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Contains less than 5.5% of boric acid(Repr. 1B; H360FD: C ≥ 5,5 %).

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 10)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 20.3

Revision: 23.03.2021

Trade name: hth[™] MINI-EASYCLIC

(Contd. of page 9)

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

CAS: 87-90-1 Symclosene {trichloroisocyanuric acid <> trichloro-1,3,5-triazinetriion}

Oral	LC50 - 96 hrs	0.3 mg/l (bluegill sunfish)
		0.32 mg/l (rainbow trout)
	CE50 - 48 hrs	0.21 mg/l (daphnia magna)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark: Very toxic for fish

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must be specially treated adhering to official regulations.

(Contd. on page 11)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 20.3

Revision: 23.03.2021

Trade name: hth[™] MINI-EASYCLIC

(Contd. of page 10)

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

**14.1 UN-Number
 ADR, IMDG, IATA**

UN2468

**14.2 UN proper shipping name
 ADR**

2468 TRICHLOROISOCYANURIC ACID, DRY,
 ENVIRONMENTALLY HAZARDOUS
 TRICHLOROISOCYANURIC ACID, DRY,
 MARINE POLLUTANT
 TRICHLOROISOCYANURIC ACID, DRY

IMDG

IATA

14.3 Transport hazard class(es)

ADR



**Class
 Label**

5.1 (O2) Oxidising substances.
 5.1

IMDG



**Class
 Label**

5.1 Oxidising substances.
 5.1

IATA



**Class
 Label**

5.1 Oxidising substances.
 5.1

(Contd. on page 12)

Safety data sheet
 according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 20.3

Revision: 23.03.2021

Trade name: hth[™] MINI-EASYCLIC

(Contd. of page 11)

14.4 Packing group II
ADR, IMDG, IATA
14.5 Environmental hazards:
Marine pollutant: Yes
Special marking (ADR): Symbol (fish and tree)
14.6 Special precautions for user: Symbol (fish and tree)
Hazard identification number (Kemler code): Warning: Oxidising substances.
EMS Number: 50
Stowage Category: F-A,S-Q
Handling Code: A
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code: H1 Keep as dry as reasonably practicable
 Not applicable.

Transport/Additional information:

ADR
Excepted quantities (EQ): E2
Limited quantities (LQ): 1 kg
Excepted quantities (EQ): Code: E2
 Maximum net quantity per inner packaging: 30 g
 Maximum net quantity per outer packaging: 500 g
Transport category: 2
Tunnel restriction code: E

IMDG
Limited quantities (LQ): 1 kg
Excepted quantities (EQ): Code: E2
 Maximum net quantity per inner packaging: 30 g
 Maximum net quantity per outer packaging: 500 g
UN "Model Regulation": UN 2468 TRICHLOROISOCYANURIC ACID, DRY, 5.1, II, ENVIRONMENTALLY HAZARDOUS

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 20.3

Revision: 23.03.2021

Trade name: hth[™] MINI-EASYCLIC

(Contd. of page 12)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EU) No 528/2012

Best before : see date on packaging

Providing this container when empty is thoroughly rinsed out in the pool, it may be disposed of via the recycling scheme

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E1 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

National regulations

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

Contains less than de 5.5% of boric acid (Repr. 1B; H360FD: C ≥ 5,5 %).

Boric acid is included in the Candidate List of Substances of Very High Concern (SVHC) of the European Chemical Agency (ECHA)

CAS: 10043-35-3 | boric acid

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H360FD May damage fertility. May damage the unborn child.

(Contd. on page 14)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.04.2021

Rev. Index : 20.3

Revision: 23.03.2021

Trade name: hth[™] MINI-EASYCLIC

(Contd. of page 13)

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Ox. Sol. 2: Oxidizing solids – Category 2

Acute Tox. 4: Acute toxicity - oral – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 1B: Reproductive toxicity – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

* **Data compared to the previous version altered.**