

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2020

Rev. Index : 62.1

Revision: 03.03.2020

| Printing date 03.03.2020 | Rev. Index : 62.1 | Revision: 03.03.2020 |
|---|---|----------------------|
| SECTION 1: Identification of | the substance/mixture and of the company/undertaking | |
| 1.1 Product identifier | | |
| Trade name: hth™ MAXITA | AB ACTION 5 | |
| Sector of Use SU21 Consumer uses: Private hor SU22 Professional uses: Public do Product category PC8 Biocidal products PC37 Water treatment chemicals | the substance or mixture and uses advised against useholds / general public / consumers omain (administration, education, entertainment, services, craftsmen) e mixture Water treatment - Solid Chlorinating agent | |
| 1.3 Details of the supplier of the Manufacturer/Supplier: INNOVATIVE WATER CARE EUR BP 219 - 37402 Amboise Cedex - F phone : +33 (0)2 47 23 43 00 fax : +33 (0)2 47 23 12 21 framsds-reach.france.euwater@lon | OPE FRANCE | |
| Africa & Middle East >>> NCEC - Te | el. +44 (0)1235 239 670 el. +44 (0)1235 239 671 Arch Chemicals Emergency Action Network) - Tel. +1 423 780 2970} CONTROL UNIT | |
| 2.1 Classification of the substat Classification according to Regu | lation (EC) No 1272/2008 | |
| Aquatic Acute 1 H400 Very toxic Aquatic Chronic 1 H410 Very toxic | to aquatic life with long lasting effects. | |
| | found | |
| 5 | erious eye irritation. se respiratory irritation. | |
| 2.2 Label elements Labelling according to Regulatio Hazard pictograms | n (EC) No 1272/2008 The product is classified and labelled according to the | CLP regulation. |
| | | |
| GHS07 GHS09 | | |
| Signal word Warning | | |
| Copper sulphate pentahydrate Hazard statements H302 Harmful if swallowed. H319 Causes serious eye irritatic H335 May cause respiratory irrita | c acid <> trichloro-1,3,5-triazinetrion} on. ation. | |
| H410 Very toxic to aquatic life with Precautionary statements | an long rasting effects. | |
| | vice is needed, have product container or label at hand. | (Contd. on page 2) |



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2020

Rev. Index : 62.1

Revision: 03.03.2020

Page 2/8

Trade name: hth[™] MAXITAB ACTION 5

| | (Contd. of page 1) | | |
|---------------------------|--|--|--|
| P102 | Keep out of reach of children. | | |
| P103 | Read label before use. | | |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. | | |
| P264 | Wash hands thoroughly after handling. | | |
| P270 | Do not eat, drink or smoke when using this product. | | |
| P271 | Use only outdoors or in a well-ventilated area. | | |
| P273 | Avoid release to the environment. | | |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. | | |
| P301+P312 | IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. | | |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. | | |
| P305+P351+P3 | 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue | | |
| Dooo | rinsing. | | |
| P330 | Rinse mouth. | | |
| P337+P313 | If eye irritation persists: Get medical advice/attention. | | |
| P391 | Collect spillage. | | |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. | | |
| P405 | Store locked up. | | |
| P501 Additional inform | Dispose of contents/container to special treatment scheme according to official regulations. | | |
| | | | |
| | with acids liberates toxic gas. Warning! Do not use together with other products. May release dangerous gases (chlorine). | | |
| 2.3 Other hazard | | | |
| | - | | |
| | Results of PBT and vPvB assessment | | |
| PBT: Not applicable. | | | |
| vPvB: Not appl | | | |
| | | | |
| | and a state of the second second state of the second second second second second second second second second se | | |
| SECTION 3: Co | mposition/information on ingredients | | |

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

| Dangerous compon | ents: |
|------------------|-------|
|------------------|-------|

| Dangerous components. | | |
|--|---|-----------|
| CAS: 87-90-1 EINECS: 201-782-8 | Symclosene {trichloroisocyanuric acid <> trichloro-1,3,5-triazinetrion} OX. Sol. 2, H272; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335 | 50-<100% |
| CAS: 10043-35-3 EINECS: 233-139-2 Reg.nr.: 01-2119486683-25-XXXX | boric acid ∲ Repr. 1B, H360FD Specific concentration limit: Repr. 1B; H360: C ≥ 5.5 % | 2.5-<5.5% |
| CAS: 10043-01-3 EINECS: 233-135-0 Reg.nr.: 01-2119531538-36-XXXX | aluminium sulphate | 0.1-<2.5% |
| CAS: 7758-99-8 EINECS: 231-847-6 | Copper sulphate pentahydrate Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10); Acute Tox. 4, H302 | 0.1-<2.5% |

Contains less than de 5.5% of boric acid (Repr. 1B; H360FD: C ≥ 5,5%). Boric acid is included in the Candidate List of Substances of Very High Concern (SVHC) of the European Chemical Agency (ECHA)

CAS: 10043-35-3 boric acid

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Take affected persons out into the fresh air.

Keep warm, position comfortably and cover well.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation Supply fresh air; consult doctor in case of complaints. After skin contact Rinse with warm water.

After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2020

Rev. Index : 62.1

Revision: 03.03.2020

Trade name: hth[™] MAXITAB ACTION 5

(Contd. of page 2) 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Water spray Use fire extinguishing methods suitable to surrounding conditions.

For safety reasons unsuitable extinguishing agents Extinguishing powder. 5.2 Special hazards arising from the substance or mixture

Carbon monoxide (CO)

Hydrogen chloride (HĆl)

During heating or in case of fire poisonous gases are produced. 5.3 Advice for firefighters

Protective equipment: Mount respiratory protective device.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 6.2 Environmental precautions: Keep contaminated washing water and dispose of appropriately.

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. **6.3 Methods and material for containment and cleaning up:** Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Handling



DO NOT MIX WITH OTHER PRODUCTS DO NOT DISSOLVE BEFORE USE

Information about fire - and explosion protection:

Substance/product is oxidising when dry. Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

 Storage
 Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.

 Information about storage in one common storage facility:
 Store away from flammable substances.

 Store away from reducing agents.
 Do not store together with acids.

 Further information about storage conditions: Keep receptacle tightly sealed.

 7.3 Specific end use(s)
 No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

⁻ бв



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2020

Change in condition

Flash point:

Melting point/freezing point:

Flammability (solid, gaseous)

Auto-ignition temperature:

Explosive properties:

Decomposition temperature:

Initial boiling point and boiling range: undetermined

undetermined

Not applicable

Not determined.

220 - 230 °C

Product is not selfigniting.

Product does not present an explosion hazard.

Rev. Index : 62.1

Revision: 03.03.2020

Trade name: hth[™] MAXITAB ACTION 5





Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2020

Rev. Index : 62.1

Revision: 03.03.2020

Trade name: hth[™] MAXITAB ACTION 5

| | | (Contd. of page 4) |
|---|--|--------------------|
| Explosion limits: Lower: Upper: | Not determined. Not determined. | |
| Vapour pressure: | Not applicable. | |
| Density at 20 °C: Relative density Vapour density Evaporation rate | 1.7 g/cm ³ Not determined. Not applicable. Not applicable. | |
| Solubility in / Miscibility with Water at 20 °C: | 12 g/l | |
| Partition coefficient: n-octanol | /water: Not determined. | |
| Viscosity: dynamic: kinematic: | Not applicable. Not applicable. | |
| Solvent content: Organic solvents: | 0.0 % | |
| Solids content: 9.2 Other information | 100.0 % Test supporting the classification as "non-oxidizer" "Non DOT 5.1 Trichlor Final Report / Ellen M. Meyer / May 21, 2003 / Arch Chemicals Inc." | |

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available. **10.2 Chemical stability** Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. **10.3 Possibility of hazardous reactions** NEVER MIX THIS PRODUCT WITH INORGANIC CHLORINE (HYPOCHLORITE) WITHIN THE SAME CONTAINER Reacts with strong oxidizing agents Reacts with alcohols, amines, aqueous acids and alkalis Reacts with flammable substances 10.4 Conditions to avoid No further relevant information available. 10.5 Incompatible materials: Warning! Do not use together with other products. May release dangerous gases (chlorine). 10.6 Hazardous decomposition products: Poisonous gases/vapours Additional information: As long as the prescribed application concentrations are maintained there is no danger that stable emulsions will form. **SECTION 11: Toxicological information** 11.1 Information on toxicological effects Acute toxicity Harmful if swallowed. LD/LC50 values relevant for classification: CAS: 87-90-1 Symclosene {trichloroisocyanuric acid <> trichloro-1,3,5-triazinetrion} LD50 490 mg/kg (rat) Oral Dermal LD50 > 2000 mg/kg (rat) CAS: 10043-35-3 boric acid Oral LD50 2660 mg/kg (rat) CAS: 7758-99-8 Copper sulphate pentahydrate LD50 300 mg/kg (rat) Oral LD50 Dermal 1000 mg/kg (rat) Inhalative LC50 - 4 hrs 1.48 mg/l (rat) Primary irritant effect: Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 6)



Page 6/8

GP

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2020

Rev. Index : 62.1

Revision: 03.03.2020

Trade name: hth[™] MAXITAB ACTION 5

| (Contd. of page 5) CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Contains less than 5.5% of boric acid(Repr. 1B; H360FD: C ≥ 5,5%). Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure May cause respiratory irritation. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met. | | |
|--|--|--|
| SECTION 12: Ecological information | | |
| | | |
| 12.1 Toxicity | | |
| Aquatic toxicity: | | |
| CAS: 87-90-1 Symclosene {trichloroisocyanuric acid <> trichloro-1,3,5-triazinetrion} Oral LC50 - 96 hrs 0.3 mg/l (bluegill sunfish) | | |
| 0.32 mg/l (rainbow trout) | | |
| CE50 - 48 hrs 0.21 mg/l (daphnia magna) | | |
| CAS: 7758-99-8 Copper sulphate pentahydrate | | |
| Oral LC50 - 96 hrs 0.75-0.84 mg/l (rainbow trout) | | |
| CE50 - 48 hrs 0.024 mg/l (daphnia magna) | | |
| 12.2 Persistence and degradability No further relevant information available. | | |
| 12.3 Bioaccumulative potential No further relevant information available. | | |
| 12.4 Mobility in soil No further relevant information available. | | |
| Ecotoxical effects: | | |
| Remark: Very toxic for fish Additional ecological information: | | |
| General notes: | | |
| Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. | | |
| Do not allow product to reach ground water, water course or sewage system. | | |
| Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. | | |
| Very toxic for aquatic organisms | | |
| 12.5 Results of PBT and vPvB assessment | | |
| PBT: Not applicable. | | |
| vPvB: Not applicable. 12.6 Other adverse effects No further relevant information available. | | |
| | | |
| | | |
| | | |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must be specially treated adhering to official regulations. Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging: Recommendation: Disposal must be made according to official regulations.

| SECTION 14: Transport information | |
|-----------------------------------|--|
| 14.1 UN-Number ADR, IMDG, IATA | UN3077 |
| 14.2 UN proper shipping name | |
| ADR | 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TRICHLOROISOCYANURIC ACID) |
| IMDG | ÈNVIRONMENTALLY HAZARDÓUS SUBSTANCE, SOLID, N.O.S. |
| ΙΑΤΑ | (TRICHLOROISOCYANURIC ACID), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TRICHLOROISOCYANURIC ACID) |
| | (Contd. on page 7) |



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2020

Rev. Index : 62.1

Revision: 03.03.2020

Trade name: hth[™] MAXITAB ACTION 5

| ADR Class Label Glass Label Class Substances and articles. 9 (M7) Miscellaneous dangerous substances and articles. 9 (M7) Miscellaneous dangerous substances and articles. 9 MIDG, IATA Class Label 9 Miscellaneous dangerous substances and articles. 9 Miscellaneous dangerous substances and articles. 9 14.4 Packing group ADR, IMOG, IATA III 14.5 Environmental hazards: Marine gliosellaneous dangerous substances and articles. 9 Symbol (fish and tree) Symbol (fi | 44.2 Transport harard alaga(ag) | (Contd. of page 6) |
|--|---------------------------------------|--|
| Class 9 (M7) Miscellaneous dangerous substances and articles. IMDG, IATA Image: Special marking (ADR): Special marking (ADR): Symbol (fish and tree) Stowage Code Stowage Code 14.7 transport in bulk according to Annex II of Marpol and the Not applicable. IBC Code Not applicable. Transport adgory Stag Tunnet restriction code E1 Mixid quantities (LQ) Skg | 14.3 Transport hazard class(es) | |
| Class 9 (M7) Miscellaneous dangerous substances and articles. JiMDG, IATA 9 Class 9 Miscellaneous dangerous substances and articles. Jabel 9 14.4 Packing group ADR, IMDG, IATA 9 Jabel 9 Josephane 9 Josephane< | | |
| Label 9, 7, 7, 7, 10, 7, 10, 10, 10, 10, 10, 10, 10, 10, 10, 10 | | |
| Class 9 Miscellaneous dangerous substances and articles. Label 9 14.4 Packing group 9 ADR, MDG, IATA III 14.5 Environmental hazards: Yes Marine pollutant: Yes Special marking (ADR): Symbol (fish and tree) Special marking (ATA): Symbol (fish and tree) Special precautions for user Warning: Miscellaneous dangerous substances and articles. Danger code (Kemler): Symbol (fish and tree) Stowage Code Swaring: Miscellaneous dangerous substances and articles. Stowage Code SW23 When transported in BK3 bulk container, see 7.6.2.12 at 7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the Not applicable. Transport/Additional information: F ADR Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g Tunnel restriction code E IMDG Staging of 5 lor less for liquids or having a net mass per single or inn packaging of 5 lor less for liquids or having a net mass per single or inn packaging of 5 lor less for solds, are not subject to any other provision provisions of 4.1.1, 4.1.1.2 at 4.1.1.4 to 4.1.1.8 | | |
| Class 9 Miscellaneous dangerous substances and articles. Label 9 14.4 Packing group 9 ADR, IMDG, IATA III 14.5 Environmental hazards: Yes Marine pollutant: Yes Special marking (APR): Symbol (fish and tree) Special marking (ARR): Symbol (fish and tree) Special precautions for user Warning: Miscellaneous dangerous substances and articles. Danger code (Kemler): 90 EMS Number: F-A,S-F Stowage Category A Stowage Cated Not applicable. Transport in bulk according to Annex II of Marpol and the Not applicable. Transport actegory 5 kg Excepted quantities (EQ) 5 kg Limited quantities (EQ) 5 kg Limited quantities (EQ) 5 kg Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g | IMDG, IATA | |
| Label 9 14.4 Packing group ADR, IMDG, IATA III 14.5 Special marking (ADR): Special marking (IATA): Yes Special marking (IATA): Symbol (fish and tree) Special marking (IATA): 14.6 Special precautions for user Danger code (Kemler): Symbol (fish and tree) Symbol (fish and tree) 14.6 Special precautions for user Danger code (Kemler): 90 EMS Number: FA,S-F Stowage Code SW23 When transported in BK3 bulk container, see 7.6.2.12 at 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Xot applicable. ADR Excepted quantities (EQ): E1 Limited quantities (EQ) 5 kg Excepted quantities (EQ) Code: E1 MADG Skg Transport category 3 Tunnel restriction code E IMDG 5 kg Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 30 g | | |
| 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Marine pollutant: Yes Symbol (fish and tree) Special marking (ADR): Special marking (ATA): Special marking (ATA): Symbol (fish and tree) Special marking (ATA): 14.6 Special precautions for user Danger code (Kemler): Symbol (fish and tree) Swcal marking (ATA): 14.6 Special precautions for user Danger code (Kemler): Warning: Miscellaneous dangerous substances and articles. 90 F-A,S-F Stowage Code SW23 When transported in BK3 bulk container, see 7.6.2.12 at 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Danger code (KeO) ADR Excepted quantities (EO): E1 Limited quantities (EQ) 5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g 3 Tunnel restriction code E IMDG Limited quantities (LQ) 5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN 3077 / UN 3082 - These substances when carried in single combination packaging of 5 lor less for liquids or having a net mass per single or inn packaging of 5 lor less for liquids or having a net mass per | | |
| ADR, IMDG, IATA ' III 14.5 Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (ADR): Special marking (IATA): Special precautions for user Danger code (Kemler): EMS Number: Stowage Category Stowage Category A. Stowage Category Special marking (IATA): Special marking (IATA): Special marking (IATA): EMS Number: Special marking (IATA): Special precautions for user Danger code (Kemler): EMS Number: Stowage Category A. Stowage Category Special marking (IATA): EMS Number: Special marking (IATA): Code EMS Number: ADR Excepted quantities (EQ) Transport category Tunnel restriction code E MDG Limited quantities (EQ) Excepted quantities (EQ) UN "Model Regulation": UN "Model Regulation": UN "Model Regulation": | | 9 |
| 14.5 Environmental hazards: Yes Marine pollutant: Yes Special marking (ADR): Symbol (fish and tree) Special marking (ATA): Symbol (fish and tree) 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles. Danger code (Kemler): 90 EMS Number: F-A,S-F Stowage Category A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Excepted quantities (EQ): E1 Limited quantities (EQ) 5 kg Excepted quantities (EQ) 5 kg Transport category A Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category 5 kg UN "Model Regulation": 5 kg UN "Model Regulation": 5 kg UN "Model Regulation": 100 g 4.1.1.4 to 4.1.1.8 1.1.2 and 4.1.1.4 to 4.1.1.8 | | Ш |
| Marine pollutant: Yes Special marking (ADR): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) Special precautions for user Symbol (fish and tree) Danger code (Kemler): Solumber: EMS Number: F-A,S-F Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, see 7.6.2.12 at 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Excepted quantities (EQ): E1 Limited quantities (EQ) 5 kg Transport category Skg Transport category Skg Transport category Skg MDCG S kg Limited quantities (EQ) 5 kg Limited quantities (EQ) 5 kg UN "Model Regulation": S kg UN "Model Regulation": S kg containing anet mass per single or inn packaging s met general provisions of 4.1.1.4, 1.1.8 | | III |
| Special marking (ADR): Symbol (fish and tree) Special marking (IATA): Symbol (fish and tree) 14.6 Special precautions for user Symbol (fish and tree) Danger code (Kemler): 90 EMS Number: F-A,S-F Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, see 7.6.2.12 ar 7.7.3.9. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR ADR Excepted quantities (EQ): E1 Limited quantities (EQ) 5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g 3 Transport category 3 Tunnel restriction code E IMDG Skg Limited quantities (EQ) 5 kg Limited quantities (EQ) 5 kg UN "Model Regulation": Stor 30 g UN "Model Regulation": 10 3077 / UN 3082 - These substances when carried in single combination packaging of 5 kg or less for solids, are not subject to any other provision provised the packagings met general provisions of 4.1.1.1, 4.1.1.2 at 4.1.1.4 to 4.1.1.8 < | | Yes |
| Special marking (IATA): Symbol (fish and tree) 14.6 Special precautions for user Danger code (Kemler): Warning: Miscellaneous dangerous substances and articles. 90 F-A,S-F Stowage Category Stowage Code A 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: A ADR Excepted quantities (EQ): E1 Limited quantities (EQ) 5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Marimum net quantity per outer packaging: 1000 g 3 Transport category 3 IMDG 5 kg Limited quantities (EQ) 5 kg UN "Model Regulation": 5 kg UN "Model Regulation": 5 kg UN "Model Regulation": 5 kg UN * Model Regulation": | · · · · · · · · · · · · · · · · · · · | Symbol (fish and tree) |
| 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles. Danger code (Kemler): 90 EMS Number: F-A,S-F Stowage Code SW23 When transported in BK3 bulk container, see 7.6.2.12 ar 7.7.3.9. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: A ADR Excepted quantities (EQ): Limited quantities (EQ) 5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Transport category 3 Tunnel restriction code E IMDG 5 kg Limited quantities (LO) 5 kg Excepted quantities (LO) 5 kg UN "Model Regulation": Skg or less for solids, are not subject to any other provision packaging of 5 kg or less for solids, are not subject to any other provision provided the packaging meet general provisions of 4.1.1.1, 4.1.1.2 at 4.1.1.4 | | |
| Danger code (Kemler): 90 EMS Number: F-A,S-F Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, see 7.6.2.12 at 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR ADR Excepted quantities (EQ): E1 Limited quantities (EQ) 5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g 3 Transport category 3 Tunnel restriction code E IMDG S kg Limited quantities (LQ) 5 kg Excepted quantities (EQ) 0 UN "Model Regulation": Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g UN "Model Regulation": Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g UN "Model Regulation": UN 3082 - These substances when carried in single or inne packaging of 5 kg or less for solids, are not subject to any other provisio provided the packaging of 5 kg or less for solids, are not subject to any other provisio p | | |
| EMS Number: F-A,S-F Stowage Category A Stowage Code SW23 When transported in BK3 bulk container, see 7.6.2.12 at 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: A ADR E1 Limited quantities (EQ): 5 kg Limited quantities (EQ) 5 kg Transport category 3 Tunnel restriction code E IMDG 5 kg Limited quantities (EQ) 5 kg Code: E1 Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 1000 g 3 UN "Model Regulation": 5 kg UN "Model Regulation": Code: E1 Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 30 g UN "Model Regulation": 5 kg UN "Model Regulation": 0 N 3077 / UN 3082 - These substances when carried in single combination packaging of 5 kg or less for solids, are not subject to any other provision provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 at 4.1.1.4 to 4.1.1.8 | | |
| Stowage Category Stowage Code A SW23 When transported in BK3 bulk container, see 7.6.2.12 at 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Not applicable. ADR E1 Excepted quantities (EQ): E1 Limited quantities (EQ) 5 kg Excepted quantities (EQ) Gode: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category 3 Tunnel restriction code E IMDG Excepted quantities (EQ) UN "Model Regulation": 5 kg UN "Model Regulation": Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 00 g UN "Model Regulation": </th <th></th> <th></th> | | |
| Stowage Code SW23 When transported in BK3 bulk container, see 7.6.2.12 at 7.7.3.9. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR Excepted quantities (EQ): E1 Limited quantities (EQ) 5 kg Transport category 3 Tunnel restriction code E IMDG 5 kg Limited quantities (EQ) 5 kg UN "Model Regulation": 5 kg UN "Model Regulation": 5 kg or less for solids, are not subject to any other provision provided the packaging of 5 kg or less for solids, are not subject to any other provision provided the packaging meet general provisions of 4.1.1.1, 4.1.2 at 4.1.1.8 | | |
| 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR ADR Excepted quantities (EQ): Limited quantities (LQ) 5 kg Excepted quantities (EQ): E1 Limited quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category 3 Tunnel restriction code E IMDG 5 kg Limited quantities (EQ) 5 kg UN "Model Regulation": 5 kg UN "Model Regulation": UN 3077 / UN 3082 - These substances when carried in single combination packaging of 5 lor less for solids, are not subject to any other provisio provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 at 4.1.1.4 to 4.1.1.8 | | SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9 |
| Transport/Additional information: ADR Excepted quantities (EQ): E1 Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g 3 Tunnel restriction code IMDG Limited quantities (LQ) 5 kg Excepted quantities (LQ) 5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN "Model Regulation": UN "Model Regulation": UN "Model Regulation": UN "Addition at the packaging of 5 l or less for solids, are not subject to any other provisio provided the packagings met general provisions of 4.1.1.1, 4.1.2 at 4.1.1.4 to 4.1.1.8 | | larpol and the |
| ADR Excepted quantities (EQ): Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 | | Not applicable. |
| Excepted quantities (EQ): E1 Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g Transport category 3 Tunnel restriction code E IMDG E Limited quantities (LQ) 5 kg Excepted quantities (EQ) 5 kg UN "Model Regulation": 5 kg UN "Model Regulation": UN 3077 / UN 3082 - These substances when carried in single combination packaging of 5 l or less for liquids or having a net mass per single or inn packaging of 5 l or less for solids, are not subject to any other provisio provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 an 4.1.1.4 to 4.1.1.8 | | |
| Limited quantities (LQ) 5 kg Excepted quantities (EQ) 5 kg Transport category 3 Tunnel restriction code E IMDG 5 kg Limited quantities (LQ) 5 kg Excepted quantities (LQ) 5 kg UN "Model Regulation": 5 kg UN "Model Regulation": UN 3077 / UN 3082 - These substances when carried in single combination packaging of 5 l or less for solids, are not subject to any other provisio provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 ar 4.1.1.4 to 4.1.1.8 | | - / |
| Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Transport category 3 Tunnel restriction code E IMDG 5 kg Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN "Model Regulation": UN "Model Regulation": UN "Advinum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 10 3077 / UN 3082 - These substances when carried in single combination packaging of 5 l or less for liquids or having a net mass per single or inn packaging of 5 l or less for solids, are not subject to any other provisio provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 at 4.1.1.4 to 4.1.1.8 | | |
| Transport category Maximum net quantity per inner packaging: 30 g Tunnel restriction code 3 IMDG E IMDG 5 kg Excepted quantities (LQ) 5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g Maximum net quantity per inner packaging: 30 g UN "Model Regulation": 5 kg UN "Model Regulation": 00 g UN "Model Regulation": UN 3077 / UN 3082 - These substances when carried in single combination packaging of 5 l or less for liquids or having a net mass per single or inn packaging of 5 l or less for solids, are not subject to any other provision provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 at 4.1.1.4 to 4.1.1.8 | | |
| Transport category 3 Tunnel restriction code E IMDG E Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3077 / UN 3082 - These substances when carried in single combination packagings containing a net quantity per single or inn packaging of 5 l or less for solids, are not subject to any other provisio provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 at 4.1.1.8 | | |
| Tunnel restriction code E IMDG 5 kg Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per outer packaging: 1000 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3077 / UN 3082 - These substances when carried in single combination packaging of 5 l or less for liquids or having a net mass per single or inn packaging of 5 l or less for solids, are not subject to any other provisio provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 ar 4.1.1.4 to 4.1.1.8 | | |
| IMDG 5 kg Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3077 / UN 3082 - These substances when carried in single combination packagings containing a net quantity per single or inn packaging of 5 l or less for liquids or having a net mass per single or inn packaging of 5 l or less for solids, are not subject to any other provisio provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 at 4.1.1.4 to 4.1.1.8 | Tunnal restriction and | E |
| Limited quantities (LQ) 5 kg Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3077 / UN 3082 - These substances when carried in single combination packagings containing a net quantity per single or inn packaging of 5 l or less for liquids or having a net mass per single or inn packaging of 5 kg Limited quantities (EQ) | | L |
| Excepted quantities (ÉQ) Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3077 / UN 3082 - These substances when carried in single combination packagings containing a net quantity per single or inn packaging of 5 l or less for liquids or having a net mass per single or inn packaging of 5 l or less for solids, are not subject to any other provisio provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 ar 4.1.1.4 to 4.1.1.8 | | E ka |
| UN "Model Regulation": Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g UN "Model Regulation": UN 3077 / UN 3082 - These substances when carried in single combination packagings containing a net quantity per single or inn packaging of 5 l or less for liquids or having a net mass per single or inn packaging of 5 kg or less for solids, are not subject to any other provisio provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 at 4.1.1.4 to 4.1.1.8 | | |
| UN "Model Regulation": UN "Model Regulation": Maximum net quantify per outer packaging: 1000 g UN 3077 / UN 3082 - These substances when carried in single combination packagings containing a net quantity per single or inn packaging of 5 l or less for liquids or having a net mass per single or inn packaging of 5 kg or less for solids, are not subject to any other provisio provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 ar 4.1.1.4 to 4.1.1.8 | | |
| combination packagings containing a net quantity per single or inn packaging of 5 l or less for liquids or having a net mass per single or inn packaging of 5 kg or less for solids, are not subject to any other provisio provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 a 4.1.1.4 to 4.1.1.8 | | |
| packaging of 5 l or less for liquids or having a net mass per single or inn packaging of 5 kg or less for solids, are not subject to any other provisio provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 a 4.1.1.4 to 4.1.1.8 | UN "Model Regulation": | |
| packaging of 5 kg or less for solids, are not subject to any other provisio provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 a 4.1.1.4 to 4.1.1.8 | | packaging of 5 l or less for liquids or having a net quantity per single or inne |
| provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 au 4.1.1.4 to 4.1.1.8 | | packaging of 5 kg or less for solids, are not subject to any other provision |
| | | provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 and |
| | | |
| N.O.S. (TRICHLOROISOCYANURIC ACID). 9. II | | |

SECTION 15: Regulatory information

REGULATION (EU) No 528/2012 Best before : see date on packaging Providing this container when empty is thoroughly rinsed out in the pool, it may be disposed of via the recycling scheme

(Contd. on page 8) ĠВ



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.03.2020

Rev. Index : 62.1

Revision: 03.03.2020

Trade name: hth[™] MAXITAB ACTION 5

| | (Contd. of page 7) |
|---|----------------------------|
| 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture | |
| Directive 2012/18/EU | |
| Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t | |
| National regulations | |
| Other regulations, limitations and prohibitive regulations Substances of very high concern (SVHC) according to REACH, Article 57 Contains less than de 5.5% of boric acid (Repr. 1B; H360FD: C ≥ 5.5%). Boric acid is included in the Candidate List of Substances of Very High Concern (SVHC) of the European Chemical Age | ency (ECHA) |
| CAS: 10043-35-3 boric acid | |
| 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out. | |
| | |
| SECTION 16: Other information | |
| This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific produestablish a legally valid contractual relationship. | uct features and shall not |
| Relevant phrases H272 May intensify fire; oxidiser. H302 Harmful if swallowed. H318 Causes serious eye damage. H319 Causes respiratory irritation. H335 May cause respiratory irritation. H360FD May damage fertility. May damage the unborn child. H400 Very toxic to aquatic life. H4110 Very toxic to aquatic life with long lasting effects. Abbreviations and acronyms: Rib. Reighement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of D. Reighement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of D. Robert, and européen suit le transport des marchandises dangereuses par chemical Subtaines RINEQS: Luropean Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LGS0: Lethal concerntation, 50 percent DS0: Lethal concerntation, 50 percent VPK: very Persistent, Bioaccumulative Qx. So: 2: Oxidizing solids - Category 1 Eye Dam, 1: Serious eye damage/eye irritation - Category | o , , |