

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 19.07.2021

Rev. Index : 24.7

Revision: 25.11.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**Trade name: **hth™ SUPERWINTERPROTECT**

Article number: 11210 hth

1.2 Relevant identified uses of the substance or mixture and uses advised against

Sector of Use SU21 Consumer uses: Private households / general public / consumers

Product category

PC37 Water treatment chemicals

PC8 Biocidal products

Application of the substance / the mixture Overwintering/ Hibernation agent**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

INNOVATIVE WATER CARE EUROPE

BP 219 - 37402 Amboise Cedex - FRANCE

phone : +33 (0)2 47 23 43 00

fax : +33 (0)2 47 23 12 21

eu.sds@sigurawater.com

1.4 Emergency telephone number:

Europe >>> NCEC - Tel. +44 (0)1235 239 670

Africa & Middle East >>> NCEC - Tel. +44 (0)1235 239 671

N.AMERICA >>> ACEAN (Arch Chemicals Emergency Action Network) - Tel. +1 423 780 2970}

CALL A LOCAL NATIONAL POISON CONTROL UNIT

FOR UK CONTACT NCEC Tel 01865 407 333

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Eye Irrit. 2

H319 Causes serious eye irritation.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.**Hazard pictograms**

GHS07 GHS09

Signal word Warning**Hazard-determining components of labelling:**

Etidronic acid

Hazard statements

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.
P310 Immediately call a POISON CENTER/doctor.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.07.2021

Rev. Index : 24.7

Revision: 25.11.2020

Trade name: hth™ SUPERWINTERPROTECT

(Contd. of page 1)

 P391 Collect spillage.
 P501 Dispose of contents/container to special treatment scheme according to official regulations.

2.3 Other hazards
Results of PBT and vPvB assessment

 PBT: Not applicable.
 vPvB: Not applicable.

SECTION 3: Composition/information on ingredients
3.2 Chemical characterisation: Mixtures
Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 25988-97-0 Polymer	Polymerised quaternary Ammonium compound ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302	10-<25%
CAS: 2809-21-4 EINECS: 220-552-8 Reg.nr.: 01-2119510391-53-XXXX	Etidronic acid ⚠ Met. Corr.1, H290; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	2.5-<10%

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures
4.1 Description of first aid measures
After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Rinse with warm water.

After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures
5.1 Extinguishing media
Suitable extinguishing agents

Water spray

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters
Protective equipment: No special measures required.

SECTION 6: Accidental release measures
6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions:

Keep contaminated washing water and dispose of appropriately.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB

(Contd. on page 3)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 19.07.2021

Rev. Index : 24.7

Revision: 25.11.2020

Trade name: hth™ SUPERWINTERPROTECT

(Contd. of page 2)

SECTION 7: Handling and storage**7.1 Precautions for safe handling** No special precautions are necessary if used correctly.**Handling****DO NOT MIX WITH OTHER PRODUCTS
DO NOT DILUTE BEFORE USE****Information about fire - and explosion protection:** No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Storage****Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** Keep receptacle tightly sealed.**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Additional information about design of technical facilities:** No further data; see item 7.**Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.**8.2 Exposure controls****Personal protective equipment****General protective and hygienic measures**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection: Not required.**Protection of hands:**

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Tightly sealed goggles.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****General information****Appearance:****Form:**

Fluid

Colour:

Light yellow

Odour:

Characteristic

(Contd. on page 4)

**Safety data sheet
 according to 1907/2006/EC, Article 31**

Printing date 19.07.2021

Rev. Index : 24.7

Revision: 25.11.2020

Trade name: hth™ SUPERWINTERPROTECT

(Contd. of page 3)

Odour threshold:	Not determined.
pH-value at 20 °C:	0.8
Change in condition	
Melting point/freezing point:	undetermined
Initial boiling point and boiling range:	undetermined
Flash point:	Not applicable
Flammability (solid, gaseous)	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	1.1 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
Solvent content:	
Water:	69.8 %
Solids content:	0.0 %

9.2 Other information

 Test de (non) corrosivité:
 In vitro skin corrosion : Human skin Model test / RPF 1210 – Batch: 10-007A-007B / Study HSMC-PH-10/0013
 / Laboratoire Phycher / Arch water Products France

SECTION 10: Stability and reactivity
10.1 Reactivity No further relevant information available.

10.2 Chemical stability
Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information
11.1 Information on toxicological effects
Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:
CAS: 25988-97-0 Polymerised quaternary Ammonium compound

Oral	LD50	1,865 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.07.2021

Rev. Index : 24.7

Revision: 25.11.2020

Trade name: hth™ SUPERWINTERPROTECT

(Contd. of page 4)

Primary irritant effect:
Skin corrosion/irritation

Test de (non) corrosivité:

In vitro skin corrosion : Human skin Model test / RPF 1210 – Batch: 10-007A-007B / Study HSMC-PH-10/0013 / Laboratoire Phycher / Arch water Products France

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Additional toxicological information:
CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information
12.1 Toxicity
Aquatic toxicity:
CAS: 25988-97-0 Polymerised quaternary Ammonium compound

Oral LC50 - 96 hrs 0.077 mg/l (rainbow trout) (OECD Test Guideline 203)

CE50 - 48 hrs 0.084 mg/l (daphnia magna) (OECD Test Guideline 202)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Ecotoxicological effects:
Remark:

Very toxic for fish

Toxic for fish

Additional ecological information:
General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Toxic for aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In

the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is

only low water-dangerous.

12.5 Results of PBT and vPvB assessment
PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations
13.1 Waste treatment methods
Recommendation

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:
Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)

**Safety data sheet
 according to 1907/2006/EC, Article 31**

Printing date 19.07.2021

Rev. Index : 24.7

Revision: 25.11.2020

Trade name: hth™ SUPERWINTERPROTECT

(Contd. of page 5)

SECTION 14: Transport information
14.1 UN-Number

ADR, IMDG, IATA

UN3082

14.2 UN proper shipping name

ADR

 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
 (Etidronic acid, Polymerised quaternary Ammonium compound)
 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
 (Etidronic acid, Polymerised quaternary Ammonium compound)

IMDG, IATA

14.3 Transport hazard class(es)

ADR


**Class
 Label**

 9 (M6) Miscellaneous dangerous substances and articles.
 9

IMDG


**Class
 Label**

 9 Miscellaneous dangerous substances and articles.
 9

IATA


**Class
 Label**

 9 Miscellaneous dangerous substances and articles.
 9

14.4 Packing group

ADR, IMDG, IATA

III

14.5 Environmental hazards:

Marine pollutant:

Yes

Special marking (ADR):

Symbol (fish and tree)

Special marking (IATA):

Symbol (fish and tree)

14.6 Special precautions for user

Warning: Miscellaneous dangerous substances and articles.

Hazard identification number (Kemler code):

90

EMS Number:

F-A,S-F

Stowage Category

A

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

Transport/Additional information:

ADR

Excepted quantities (EQ):

E1

Limited quantities (LQ)

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Transport category

3

Tunnel restriction code

-

IMDG

Limited quantities (LQ)

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

UN 3077 / UN 3082 - These substances when carried in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions provided the packagings meet general provisions of 4.1.1.1, 4.1.1.2 and

(Contd. on page 7)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 19.07.2021

Rev. Index : 24.7

Revision: 25.11.2020

Trade name: hth™ SUPERWINTERPROTECT

(Contd. of page 6)

4.1.1.4 to 4.1.1.8
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (ETIDRONIC ACID, POLYMERISED QUATERNARY AMMONIUM
COMPOUND), 9, III**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****REGULATION (EU) No 528/2012**

Best before : see date on packaging

Providing this container when empty is thoroughly rinsed out in the pool, it may be disposed of via the recycling scheme

Directive 2012/18/EU**Named dangerous substances - ANNEX I** None of the ingredients is listed.**Seveso category E1** Hazardous to the Aquatic Environment**Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t**Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

*** Data compared to the previous version altered.**