

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING *

1.1. Product identifier

Product name : AQUAFINESSE FILTER CLEANER
Product code : SWE-FC
UFI : 4C00-T02S-100F-ASGY

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Cleaning agent.

1.3. Details of the supplier of the safety data sheet

Supplier : Special Water Europe BV
Turbinestraat 6
3903 LW VEENENDAAL, The Netherlands
Telephone : +31 318 525 311
E-mail : msds@aquafinesse.com
Website : www.aquafinesse.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31 318 525 311 (24/7)

SECTION 2 HAZARDS IDENTIFICATION *

2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC) : Corrosive to metals, category 1. Skin corrosive, category 1B. Serious eye damage, category 1. Specific target organ toxicity after single exposure, category 3. Hazardous to the aquatic environment — Chronic category 3.
Human health hazards : Causes severe skin burns and eye damage. May cause respiratory irritation.
Physical/chemical hazards : Formation of dust during use may cause a dust explosion. Contact with acids liberates toxic gas. May be corrosive to metals.
Environmental hazards : Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Danger

H- and P-phrases :
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.
EUH031 Contact with acids liberates toxic gas.
EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P234 Keep only in original container.

P260 dust	Do not breathe dust.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P273	Avoid release to the environment.
P390	Absorb spillage to prevent material damage.
P501	Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Danger

H- and P-phrases	:	H314	Causes severe skin burns and eye damage.
		H335	May cause respiratory irritation.
		H412	Harmful to aquatic life with long lasting effects.
		EUH031	Contact with acids liberates toxic gas.
		P101	If medical advice is needed, have product container or label at hand.
		P102	Keep out of reach of children.
		P260 dust	Do not breathe dust.
		P271	Use only outdoors or in a well-ventilated area.
		P280	Wear protective gloves/protective clothing/eye protection/face protection.
		P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
		P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
		P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		P310	Immediately call a POISON CENTER/doctor.
		P363	Wash contaminated clothing before reuse.
		P403+P233	Store in a well-ventilated place. Keep container tightly closed.
		P405	Store locked up.
		P501	Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: Citric acid ; Silicic acid, sodium salt ; Disodium metasilicate ; Pentapotassium bis(peroxymonosulphate) bis(sulphate) ; Sodium hydroxide .

Ingredient declaration according to Regulation EC 648/2004:

Contains:	Concentration (%)
Non-ionic surfactants , Oxygen-based bleaching agents , Chlorine-based bleaching agents	< 5

Other information : According to regulation (EC) 1272/2008, Annex II, part 3, the packaging of this product shall carry a tactile warning of danger and a child-resistant fastening.

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Citric acid	10 - < 20	77-92-9	201-069-1		01-2119457026-42
Sodium carbonate	5 - < 10	497-19-8	207-838-8		01-2119485498-19
Silicic acid, sodium salt	3 - < 10	1344-09-8	215-687-4		01-2119448725-31
Disodium metasilicate	3 - < 5	6834-92-0	229-912-9		01-2119449811-37
Aluminium hydroxide	1 - < 5	21645-51-2	244-492-7	MAC	01-2119529246-39
Pentapotassium bis(peroxymonosulphate) bis(sulphate)	1 - < 3	70693-62-8	274-778-7		01-2119485567-22
Sodium hydroxide	0,1 - < 1	1310-73-2	215-185-5		01-2119457892-27
Trosclosene sodium, dihydrate	0,25 - < 1	51580-86-0	220-767-7		01-2119489371-33
Sodium sulphate	0,1 - < 1	7757-82-6	231-820-9	MAC	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	0,1 - < 1	120313-48-6	639-733-1		

Substance name	Hazard Class	H-phrases	Pictograms	
Citric acid	Eye Irrit. 2; STOT SE 3	H319; H335	GHS07; GHS07	
Sodium carbonate	Eye Irrit. 2	H319	GHS07	
Silicic acid, sodium salt	Skin Irrit. 2; Eye Dam. 1; STOT SE 3	H315; H318; H335	GHS07; GHS05; GHS07	
Disodium metasilicate	Met. Corr. 1; Skin Corr. 1B; Eye Dam. 1; STOT SE 3	H290; H314; H318; H335	GHS05; GHS05; GHS05; GHS07	
Aluminium hydroxide	-----	-----	-----	
Pentapotassium bis(peroxymonosulphate) bis(sulphate)	Acute Tox. 4; Skin Corr. 1B; Aquatic Chronic 3	H302; H314; H412	GHS07; GHS05	
Sodium hydroxide	Met. Corr. 1; Skin Corr. 1A; Eye Dam. 1	H290; H314; H318	GHS05; GHS05; GHS05	H314 A : C >= 5 % H314 B : C >= 2 % H318 : C >= 2 % H319 : C >= 0,5 % H315 : C >= 0,5 %
Trosclosene sodium, dihydrate	Acute Tox. 4; Eye Irrit. 2; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 1	H302; H319; H335; H400; H410; EUH031	GHS07; GHS07; GHS07; GHS09; GHS09	
Sodium sulphate	-----	-----	-----	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Skin Irrit. 2; Aquatic Acute 1; Aquatic Chronic 2	H315; H400; H411	GHS07; GHS09; GHS09	

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

4.1. Description of first aid measures

First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor.
- Skin contact : Immediately wash off skin with plenty of water. Take off contaminated clothing. Consult a doctor in case burns or irritation occur.
- Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Transport to a hospital immediately.
- Ingestion : Do not induce vomiting. Do rinse the mouth. Give one glass of water. Give condensed milk or a knob of butter. Never give anything by mouth to an unconscious person. Transport to a hospital immediately.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : Corrosive. May cause sore throat and coughing. May cause shortness of breath or lack of breath.
- Skin contact : Corrosive. May cause redness, pain and severe burns (blisters).
- Eye contact : Corrosive. May cause redness and severe pain. Tears.
- Ingestion : Corrosive. May cause burning pain in throat and mouth. May cause a feeling of sickness, stomachache, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

- Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

*

5.1. Extinguishing media

Extinguishing media

- Suitable : Dry chemical. Water fog.
- Not suitable : Carbondioxide (CO2). Water jet.

5.2. Special hazards arising from the substance or mixture

- Special exposure hazards : Reacts violently with flammable and reducing agents with risk of explosions. Water may be used to cool containers. Heating causes oxygen release, intensifying the fire.
- Hazardous thermal decomposition products : Generates toxic (phosgene) and corrosive vapours (hydrochloric acid) in case of fire. Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

- Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

- Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Do not breathe dust.

6.2. Environmental precautions

- Environmental precautions : Avoid release of product into sewers, surface water and/or ground water. Waste product should not be allowed to contaminate soil or water.
- Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Collect spilled material in containers. Do not use saw-dust. Dispose at an authorised waste collection point. Wash away remainder with plenty of water.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Avoid contact with skin and eyes. Wear protective clothing. After contact with skin, wash immediately with plenty of water.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place (< 35 °C).
Recommended packaging : Keep only in the original container.
Non recommended packaging : None known.

7.3. Specific end use(s)

Use : Use only as directed. Do not mix with other products.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

*

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m ³)	STEL 15 min (mg/m ³)	Comments	Source
Aluminium hydroxide	GB	2	-	Aluminium salts, soluble	GESTIS
Sodium hydroxide	GB	-	2	-	
Dust	GB	4	-	Respirable dust	

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Sodium carbonate	Inhalation			10 mg/m ³	
Silicic acid, sodium salt	Inhalation				5.61 mg/m ³
Disodium metasilicate	Dermal				1.59 mg/kg bw/day
	Dermal				1.49 mg/kg bw/day
Aluminium hydroxide	Inhalation				6.22 mg/m ³
	Inhalation			10.76 mg/m ³	10.76 mg/m ³
Pentapotassium bis(peroxymonosulphate) bis(sulphate)	Inhalation	50 mg/m ³	50 mg/m ³	0.28 mg/m ³	0.28 mg/m ³
	Dermal		80 mg/kg bw		20 mg/kg bw/day
Sodium hydroxide	Inhalation			1 mg/m ³	
Troloxene sodium, dihydrate	Inhalation				8.11 mg/m ³
Sodium sulphate	Dermal				2.3 mg/kg bw/day
	Inhalation			20 mg/m ³	20 mg/m ³

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Sodium carbonate	Inhalation	10 mg/m ³			
Silicic acid, sodium salt	Inhalation				1.38 mg/m ³
	Dermal				0.8 mg/kg bw/day
	Oral				0.8 mg/kg bw/day
Disodium metasilicate	Dermal				0.74 mg/kg bw/day
	Inhalation				1.55 mg/m ³
	Oral				0.74 mg/kg bw/day
Aluminium hydroxide	Oral				4.74 mg/kg bw/day
Pentapotassium bis(peroxymonosulphate) bis(sulphate)	Inhalation	25 mg/m ³	25 mg/m ³	0.14 mg/m ³	0.14 mg/m ³
	Dermal	0.22 mg/kg bw	40 mg/kg bw		10 mg/kg bw/day
	Oral		10 mg/kg bw		10 mg/kg bw/day
Sodium hydroxide	Inhalation			1 mg/m ³	
Trosclosene sodium, dihydrate	Inhalation				1.99 mg/m ³
	Dermal				1.15 mg/kg bw/day
	Oral				1.15 mg/kg bw/day
Sodium sulphate	Inhalation			12 mg/m ³	12 mg/m ³

Predicted no-effect concentration (PNEC):


Chemical name	Route of exposure	Fresh water	Marine water	
Citric acid	Water	0.44 mg/l	0.044 mg/l	
	Sediment	34.6 mg/kg	3.46 mg/kg	
	STP			1000 mg/l
	Soil			33.1 mg/kg
Silicic acid, sodium salt	Water	7.5 mg/l	1 mg/l	
	STP			348 mg/l
Disodium metasilicate	Water	7.5 mg/l	1 mg/l	
	Intermittent water			7.5 mg/l
Aluminium hydroxide	STP			1000 mg/l
	STP			20 mg/l
Pentapotassium bis(peroxymonosulphate) bis(sulphate)	Water	0.022 mg/l	0.00222 mg/l	
	Sediment	0.0782 mg/kg	0.00796 mg/kg	
	Intermittent water			0.0109 mg/l
	STP			108 mg/l
	Soil			1 mg/kg
	Oral			44.44 mg/kg food
Trosclosene sodium, dihydrate	Water	0 mg/l	1.52 mg/l	
	Sediment	7.56 mg/kg		
	STP			0.59 mg/l
	Soil			0.756 mg/kg
Sodium sulphate	Water	11.09 mg/l	1.109 mg/l	
	Sediment	40.2 mg/kg	4.02 mg/kg	
	Intermittent water			17.66 mg/l
	STP			800 mg/l
	Soil			1.54 mg/kg

8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.
 Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



- Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: PVC. Indication of permeation breakthrough time: 6 hours.
- Respiratory protection : Wear appropriate respiratory protection in case of large scale exposure. Suitable: dust mask type FFP1 or higher, in accordance with EN 149.
- Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: PVC. $\pm 0,5$ mm. Indication of permeation breakthrough time: 6 hours.
- Eye protection : Wear a face shield or appropriate safety glasses with side shields, in accordance with EN 166.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

*

9.1. Information on basic physical and chemical properties

Physical state	: Solid.	
Colour	: White.	
Odour	: Characteristic.	
Odour threshold	: Not known.	
pH	: 8,3	10% solution.
Solubility in water	: Soluble.	
Partition coefficient (n-octanol/water)	: Not applicable.	Contains surfactants. The O/W system emulsifies. Not measured. Not relevant for mixtures.
Flash point	: Not relevant.	Solid.
Flammability (solid, gas)	: Not flammable.	Not easily ignitable.
Auto ignition temperature	: > 1010 °C	
Boiling point/boiling range	: > 250 °C	
Melting point/melting range	: > 30 °C	
Explosive properties	: Not an explosive.	
Explosion limits (% in air)	: Not applicable.	
Oxidising properties	: Slightly oxidizing.	
Decomposition temperature	: Not known.	
Viscosity (20°C)	: Not applicable.	Solid.
Viscosity (40°C)	: Not applicable.	Solid.
Vapour pressure (20°C)	: Very low.	Solid.
Relative vapour density	: Not relevant.	The solvent content of this product is less than 1%.
Relative density (20°C)	: Not known.	
Particle characteristics	: Not relevant.	Too big, bulky to be considered particle(s).

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : Reacts vigorously in contact with acids. Strong heat development possible. Reacts vigorously in contact with alkalines. Strong heat development possible. Reacts with metals.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from acids. Keep away from bases. Contact with acids liberates toxic gas. Keep away from reducing agents. Keep away from halogenated substances. Keep away from heavy metals.

10.6. Hazardous decomposition products

Hazardous decomposition products : May include and are not limited to: Oxygen. HCl-gas and chlorine vapours.

SECTION 11 TOXICOLOGICAL INFORMATION

*

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

- Acute toxicity : Calculated LC50: > 7,089 mg/l. Ingredients of unknown toxicity: 32 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause damage to organs. Target organ(s): Respiratory system. Effect(s): May cause irritation to respiratory airways and coughing.
- Corrosion/irritation : Corrosive. May cause sore throat and coughing. May cause pulmonary oedema. Symptoms of pulmonary oedema often manifest after several hours. May cause irritation to respiratory airways and coughing.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Corrosive. Causes severe burns.
- Sensitisation : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Eye contact

- Corrosion/irritation : Corrosive. Risk of serious damage to eyes.

Ingestion

- Acute toxicity : Calculated LD50: > 4349 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Not classified - based on available data, the classification criteria are not met. Does not contain substances with an aspiration hazard.
- Corrosion/irritation : Corrosive. May cause burning pain in throat and mouth. May cause a feeling of sickness, stomachache, vomiting and diarrhoea.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Citric acid	Skin sensitisation - estimate	Not sensitizing		
	NOAEL (fertility, oral)	2500 mg/kg bw/d		Rat
	NOAEL (oral)	1200 mg/kg bw/d	-----	Rat
	LD50 (oral)	11700 mg/kg bw	OECD 401	Rat
	LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rat
	Skin irritation	Non-irritant	OECD 404	Rabbit
	Genotoxicity - in vivo	Not genotoxic	OECD 475	Rat
	Eye irritation	Moderately irritant	OECD 405	Rabbit
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	NOEL (carcinogenicity, oral)	Not carcinogenic	-----	Rat
	NOAEL (development, oral)	> 425 mg/kg bw/d	-----	Rabbit
Silicic acid, sodium salt	LD50 (oral)	3400 mg/kg bw	-----	Rat
	Eye irritation	Severely irritant	-----	-----
	Skin irritation	Irritant	-----	Rabbit
	LD50 (dermal) - estimate	> 5000 mg/kg bw	Read across	
Disodium metasilicate	LD50 (oral)	662 mg/kg bw	-----	Mouse
	LD50 (oral) - estimate	> 2000 mg/kg bw	-----	-----
	LC50 (inhalation) - estimate	> 5000 mg/m3	-----	-----
	NOAEL (oral)	127 mg/kg bw/d	-----	Rat
	LD50 (dermal) - estimate	> 5000 mg/kg bw	-----	Rat
	Skin sensitisation	Not sensitizing	OECD 429	Mouse
	Genotoxicity - in vivo	Not genotoxic	OECD 475	Mouse
	Genotoxicity - in vitro	Not genotoxic	OECD 473	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Skin irritation	Corrosive.	OECD 404	Rabbit
	Eye irritation - estimate	Corrosive.		Rabbit
Pentapotassium bis(peroxymonosulphate) bis(sulphate)	LD50 (oral)	1204 mg/kg bw	OECD 401	Rat
	LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rat
	LC50 (inhalation)	> 5000 mg/m3	OECD 403	Rat
	NOAEL (oral)	200 mg/kg bw/d	OECD 408	Rat
	Skin sensitisation	Not sensitizing		Guinea pig
	Skin irritation	Corrosive.	OECD 404	Rabbit
	Eye irritation	Highly irritant	-----	Rabbit
	NOAEL (inhalation)	1,4 mg/m3		
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	NOAEL (development, oral)	Not teratogenic	OECD 414	Rat
Sodium hydroxide	Eye irritation	Corrosive.		
	Skin irritation	Corrosive.		
	LD50 (oral) - estimate	> 2000 mg/kg bw		
	Skin sensitisation - estimate	Not sensitizing		
	Genotoxicity - estimate	Not genotoxic		

11.2. Information on other hazards

Endocrine disrupting properties : Not applicable.

Other information : Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Harmful to aquatic organisms. Calculated LC50 (fish): 21 mg/l. Calculated EC50 (waterflea): 13 mg/l.
Contains 0 % of components with unknown hazards to the aquatic environment.

12.2. Persistence and degradability

Persistence – degradability : May cause long-term adverse effects in the aquatic environment. The surfactants contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances in concentrations higher than 0,1%.

12.6. Endocrine disrupting properties

Endocrine disrupting properties : Not applicable.

12.7. Other adverse effects

Other adverse effects : Not applicable.

Ecological information:

Chemical name	Property		Method	Test animal
Pentapotassium bis(peroxymonosulphate) bis(sulphate)	IC50 (alga)	1,0 mg/l	OECD 201	Pseudokirchnerella subcapitata
	EC50 (waterflea)	3,5 mg/l	OECD 202	Daphnia magna
	LC50 (fish)	42,3 mg/l	OECD 203	Brachydanio rerio
	NOEC (fish)	0,222 mg/l.d		Cyprinodon variegatus
	NOEC (waterflea) - chronic	0,267 mg/l.d		Mysidopsis bahia
Pentapotassium bis(peroxymonosulphate) bis(sulphate)	Log P(ow)	-3,9		
Troclosene sodium, dihydrate	LC50 (fish) - estimate	0.23 mg/l	Read across	Lepomis macrochirus
	NOEC (fish) - estimate	756 mg/l.d	Read across	Oncorhynchus mykiss
	EC50 (waterflea) - estimate	0.17 mg/l	Read across	Daphnia magna
	NOEC (daphnids) - estimate	121 mg/l.d	Read across	Daphnia magna

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.

Additional warning : None.
European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.
Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

*

14.1. UN number or ID number

UN nr. : UN 3262

14.2. UN proper shipping name

Transport name : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Disodium metasilicate ; Pentapotassium bis(peroxymonosulphate) bis(sulphate))
Transport name (IMDG, IATA) : CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (Disodium metasilicate ; Pentapotassium bis(peroxymonosulphate) bis(sulphate))

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : 8
Classification code : C6
Packaging group : II
Danger label : 8
Tunnel restriction code : E



Other information : Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)

Class : 8
Packaging group : II
EmS (fire / spill) : F - A / S - B
Marine pollutant : No

IATA (air)

Class : 8

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

*

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION

*

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR	: European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	: Acute Toxicity Estimate
CLP	: Classification, Labeling & Packaging
CMR	: Carcinogenic, Mutagenic or toxic for Reproduction
EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
UFI	: Unique formula identifier
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Skin Corr. 1B	: Calculation method.
Eye Dam. 1	: Calculation method.
STOT SE 3	: Calculation method.
Aquatic Chronic 3	: Calculation method.
Met. Corr. 1	: Expert judgement.

Full text of hazard classes mentioned in section 3:

Acute Tox. 4	: Acute toxicity, category 4.
Skin Corr. 1A/B/C	: Skin corrosive, category 1A/B/C.

Skin Irrit. 2	: Skin irritation, category 2.
Eye Dam. 1	: Serious eye damage, category 1.
Eye Irrit. 2	: Eye irritation, category 2.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
Aquatic Chronic 1	: Hazardous to the aquatic environment — Chronic category 1.
Aquatic Chronic 2	: Hazardous to the aquatic environment — Chronic category 2.
Aquatic Chronic 3	: Hazardous to the aquatic environment — Chronic category 3.
Aquatic Acute 1	: Hazardous to the aquatic environment — Acute category 1.
Met. Corr. 1	: Corrosive to metals, category 1.

Full text of H-phrases mentioned in section 3:

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH031	Contact with acids liberates toxic gas.

Advice on any training appropriate for workers: none.

Number format : "," used as decimal separator.

End of safety data sheet.