

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING *

1.1. Product identifier

Product name : AQUAFINESSE SPACLEAN
Product code : SWE-SC
UFI : 6M00-A04X-X00X-AT85

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application : SU21 Consumer product. PC35 Cleaning agent. Other cleaning, care and maintenance products (excludes biocidal products).

1.3. Details of the supplier of the safety data sheet

Supplier : Special Water Europe BV
Turbinestraat 6
3903 LW VEENENDAAL, The Netherlands
Telephone : +31 318 525 311
E-mail : msds@aquafinesse.com
Website : www.aquafinesse.com

1.4. Emergency telephone number

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:

NL - Telephone : +31 318 525 311 (24/7)

SECTION 2 HAZARDS IDENTIFICATION *

2.1. Classification of the substance or mixture

CLP classification (1272/2008/EC) : Corrosive to metals, category 1. Skin corrosion, category 1. Serious eye damage, category 1. Specific target organ toxicity after single exposure, category 3.
Human health hazards : Causes severe skin burns and eye damage. May cause respiratory irritation.
Physical/chemical hazards : Reacts vigorously in contact with acids. Strong heat development possible. May be corrosive to metals.
Environmental hazards : Not classified as dangerous according to statutory EC-Directives.

2.2. Label elements

Label elements (1272/2008/EC):

Hazard pictograms :



Signal word : Danger

H- and P-phrases :
H290 : May be corrosive to metals.
H314 : Causes severe skin burns and eye damage.
H335 : May cause respiratory irritation.
P101 : If medical advice is needed, have product container or label at hand.
P102 : Keep out of reach of children.
P234 : Keep only in original container.
P260 dust : Do not breathe dust.
P271 : Use only outdoors or in a well-ventilated area.
P280 : Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330 +P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361 +P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351 +P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P390	Absorb spillage to prevent material damage.
P501	Dispose of contents/container to an official chemical waste depot.

Labelling of packagings where the contents do not exceed 125 ml and it is technically impossible to list all phrases:

Hazard pictograms :



Signal word : Danger

H- and P-phrases	:	H314	Causes severe skin burns and eye damage.
		H335	May cause respiratory irritation.
		P101	If medical advice is needed, have product container or label at hand.
		P102	Keep out of reach of children.
		P260 dust	Do not breathe dust.
		P271	Use only outdoors or in a well-ventilated area.
		P280	Wear protective gloves/protective clothing/eye protection/face protection.
		P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
		P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
		P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		P310	Immediately call a POISON CENTER/doctor.
		P363	Wash contaminated clothing before reuse.
		P403+P233	Store in a well-ventilated place. Keep container tightly closed.
		P405	Store locked up.
		P501	Dispose of contents/container to an official chemical waste depot.

Additional labelling (for all packaging sizes)

: Contains: Disodium metasilicate ; Pentapotassium bis(peroxymonosulphate) bis(sulphate) .

Ingredient declaration according to Regulation EC 648/2004:

Contains:	Concentration (%)
Oxygen-based bleaching agents	< 5

Other information : According to regulation (EC) 1272/2008, Annex II, part 3, the packaging of this product shall carry a tactile warning of danger and a child-resistant fastening.

2.3. Other hazards

Other information : Does not contain PBT or vPvB substances.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

*

3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

Substance name	Concentration (w/w) (%)	CAS nr.	EC number	Remark	REACH nr.
Sodium carbonate	25 - < 50	497-19-8	207-838-8	MAC	01-2119485498-19
Disodium metasilicate	20 - < 25	6834-92-0	229-912-9		01-2119449811-37
Aluminium potassium bis(sulphate) dodecahydrate	10 - < 20	7784-24-9	616-521-7		01-2119960162-44
Pentapotassium bis(peroxymonosulphate) bis(sulphate)	1 - < 3	70693-62-8	274-778-7		01-2119485567-22

Substance name	Hazard Class	H-phrases	Pictograms	
Sodium carbonate	Eye Irrit. 2	H319	GHS07	
Disodium metasilicate	Met. Corr. 1; Skin Corr. 1B; Eye Dam. 1; STOT SE 3	H290; H314; H318; H335	GHS05; GHS07	
Aluminium potassium bis(sulphate) dodecahydrate	-----	-----	-----	
Pentapotassium bis(peroxymonosulphate) bis(sulphate)	Acute Tox. 4; Skin Corr. 1B; Aquatic Chronic 3	H302; H314; H412	GHS05; GHS07	

Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

SECTION 4 FIRST-AID MEASURES

*

4.1. Description of first aid measures

First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor.
- Skin contact : Immediately take off contaminated clothing. Wash off skin with plenty of water and soap before product dries up. Consult a doctor in case burns or irritation occur.
- Eye contact : Wash out with (lukewarm) water for at least 15 minutes. Remove contact lenses. Consult a doctor immediately.
- Ingestion : Do not induce vomiting. Rinse the mouth, give 1 glass of water at most. Do not give milk. Never give anything by mouth to an unconscious person. Consult a doctor immediately if victim feels unwell.

4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : Corrosive. May cause sore throat and coughing. May cause shortness of breath or lack of breath.
- Skin contact : Corrosive. May cause redness, pain and burns (blisters).
- Eye contact : Corrosive. May cause redness and severe pain. Tears.
- Ingestion : Corrosive. May cause burning pain in throat and mouth. May cause a feeling of sickness, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

SECTION 5 FIRE-FIGHTING MEASURES

*

5.1. Extinguishing media

Extinguishing media

- Suitable : Carbondioxide (CO2). Dry chemical. Water fog.
- Not suitable : Water jet. Use of heavy stream of water may spread fire.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards : Heating causes oxygen release, intensifying the fire.
Hazardous thermal decomposition products : Carbon monoxide may be evolved if incomplete combustion occurs.

5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation. Note that extinguishing water can be corrosive.
Other information : Collect contaminated fire extinguishing water separately. Avoid release of product into sewers, surface water and/or ground water.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Danger of slipping. Clean up spills immediately. Wear shoes with non-slip soles. Avoid contact with spilled or released material. Do not breathe dust.

6.2. Environmental precautions

Environmental precautions : Avoid release of product into sewers, surface water and/or ground water.
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled material in containers. Carefully neutralise residues with acid. Do not use saw-dust. Dispose at an authorised waste collection point. Wash away remainder with plenty of water and soap.

6.4. Reference to other sections

Reference to other sections : See also section 8.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Avoid contact with skin and eyes. Wear protective clothing. After contact with skin, wash immediately with plenty of water.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep frost-free, in a cool, dry and well-ventilated place.
Recommended packaging : Keep only in the original container.
Non recommended packaging : Steel and aluminium.

7.3. Specific end use(s)

Use : Use only as directed. Do not mix with other products.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m³):

Chemical name	Country	TWA 8 hour (mg/m3)	STEL 15 min (mg/m3)	Comments	Source
Sodium carbonate	GB	1	3	-	MAC: DA, SE
Aluminium potassium bis(sulphate) dodecahydrate		2	-		
Aluminium potassium bis(sulphate) dodecahydrate		1	-		
Pentapotassium bis(peroxymonosulphate) bis(sulphate)		6	-		MAC: DE
Dust	GB	4	-	Respirable dust	MAC: FR; Scandinavia. Generally recommended in literature.
Dust		5	-		

Derived no-effect level (DNEL) for workers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Sodium carbonate	Inhalation			10 mg/m ³	
Disodium metasilicate	Dermal				1,49 mg/kg bw/day
	Inhalation				6,22 mg/m ³
Aluminium potassium bis(sulphate) dodecahydrate	Inhalation				13.05 mg/m ³
Pentapotassium bis(oxymonosulphate) bis(sulphate)	Inhalation	50 mg/m ³	50 mg/m ³	0,28 mg/m ³	0,28 mg/m ³
	Dermal		80 mg/kg bw		20 mg/kg bw/day

Derived no-effect level (DNEL) for consumers:

Chemical name	Route of exposure	DNEL, short-term		DNEL, long-term	
		Local effect	Systemic effect	Local effect	Systemic effect
Sodium carbonate	Inhalation	10 mg/m ³			
Disodium metasilicate	Dermal				0,74 mg/kg bw/day
	Inhalation				1,55 mg/m ³
	Oral				0,74 mg/kg bw/day
Aluminium potassium bis(sulphate) dodecahydrate	Oral				15.54 mg/kg bw/day
Pentapotassium bis(oxymonosulphate) bis(sulphate)	Inhalation	25 mg/m ³	25 mg/m ³	0,14 mg/m ³	0,14 mg/m ³
	Dermal	0,22 mg/kg bw	40 mg/kg bw		10 mg/kg bw/day
	Oral		10 mg/kg bw		10 mg/kg bw/day

Predicted no-effect concentration (PNEC):

Chemical name	Route of exposure	Fresh water	Marine water	
Disodium metasilicate	Water	7,5 mg/l	1 mg/l	
	Intermittent water			7,5 mg/l
	STP			1000 mg/l
Aluminium potassium bis(sulphate) dodecahydrate	Water	0.112 mg/l	0.011 mg/l	
	STP			63 mg/l
Pentapotassium bis(oxymonosulphate) bis(sulphate)	Water	0,022 mg/l	0,00222 mg/l	


	Sediment	0,0782 mg/kg	0,00796 mg/kg	
	Intermittent water			0,0109 mg/l
	STP			108 mg/l
	Soil			1 mg/kg
	Oral			44,44 mg/kg food

8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.
Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.



Body protection : Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367 resp. 345. Suitable material: butyl. Indication of permeation breakthrough time: 6 hours.
Respiratory protection : Wear appropriate respiratory protection in case of large scale exposure. Suitable: dust mask type FFP1 or higher, in accordance with EN 149.
Hand protection : Wear appropriate safety gloves in accordance with EN 374. Suitable material: butyl. \pm 0,5 mm. Indication of permeation breakthrough time: 6 hours.
Eye protection : Wear a face shield or appropriate safety glasses with side shields, in accordance with EN 166.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

*

9.1. Information on basic physical and chemical properties

Physical state : Solid.
Colour : White.
Odour : Characteristic.
Odour threshold : Not applicable.
pH : 12,5 10% solution.
Alkali reserve (g NaOH/100 ml) : Not known.
Solubility in water : Soluble.
Partition coefficient (n-octanol/water) : Not known. Not measured. Not relevant for mixtures.
Flash point : Not relevant. Solid.
Flammability (solid, gas) : Not flammable. Not easily ignitable.
Auto ignition temperature : Not known. Does not contain substances with a known auto ignition temperature.
Boiling point/boiling range : > 100 °C
Melting point/melting range : > 30 °C
Explosive properties : Not an explosive.
Explosion limits (% in air) : Not applicable.
Oxidising properties : Slightly oxidizing.
Decomposition temperature : Not applicable.
Viscosity (20°C) : Not applicable. Solid.
Vapour pressure (20°C) : Very low. Solid.
Relative vapour density : Not relevant. The solvent content of this product is less than 1%. Solid.
Relative density (20°C) : 1 g/ml
Particle characteristics : Not relevant. Too big, bulky to be considered particle(s).

9.2. Other information

Other information : Not relevant.

SECTION 10 STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity : See sub-sections below.

10.2. Chemical stability

Stability : Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactivity : Reacts vigorously in contact with acids. Strong heat development possible. Reacts with metals.

10.4. Conditions to avoid

Conditions to avoid : See section 7.

10.5. Incompatible materials

Materials to avoid : Keep away from acids. Keep away from reducing agents. Keep away from halogenated substances. Keep away from heavy metals.

10.6. Hazardous decomposition products

Hazardous decomposition products : May include and are not limited to: Oxygen.

SECTION 11 TOXICOLOGICAL INFORMATION

*

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

Inhalation

- Acute toxicity : Calculated LC50: > 7,158 mg/l. Ingredients of unknown toxicity: 13 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause damage to organs. Target organ(s): Respiratory system. Effect(s): May cause irritation to respiratory airways and coughing. Breathing of high vapour concentrations may cause central nervous system (CNS) depression resulting in dizziness, lightheadedness, headache, nausea and loss of coordination. Continued inhalation may result in unconsciousness and death.
- Corrosion/irritation : Corrosive. May cause sore throat and coughing. May cause pulmonary oedema. Symptoms of pulmonary oedema often manifest after several hours. May cause irritation to respiratory airways and coughing.
- Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.
- Carcinogenicity : Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Skin contact

- Acute toxicity : Calculated LD50: > 5000 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Corrosion/irritation : Corrosive. May cause redness, pain and burns (blisters).
- Sensitisation : Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.

Eye contact

Corrosion/irritation	: Corrosive. Risk of serious damage to eyes.
Ingestion	
Acute toxicity	: Calculated LD50: > 1901 mg/kg.bw. Ingredients of unknown toxicity: < 1 %. ATE: > 2000 mg/kg.bw. Not classified - based on available data, the classification criteria are not met.
Aspiration	: Not classified - based on available data, the classification criteria are not met. Does not contain substances with an aspiration hazard.
Corrosion/irritation	: Corrosive. May cause burning pain in throat and mouth. May cause a feeling of sickness, stomachache, vomiting and diarrhoea.
Carcinogenicity	: Does not contain carcinogenic substances. Not classified - based on available data, the classification criteria are not met.
Mutagenicity	: Does not contain mutagenic substances. Not classified - based on available data, the classification criteria are not met.
Reprotoxicity	: Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

Toxicological information:

Chemical name	Property		Method	Test animal
Disodium metasilicate	LD50 (oral)	662 mg/kg bw	-----	Mouse
	LD50 (oral) - estimate	> 2000 mg/kg bw	-----	-----
	LC50 (inhalation) - estimate	> 5000 mg/m3	-----	-----
	NOAEL (oral)	127 mg/kg bw/d	-----	Rat
	LD50 (dermal) - estimate	> 5000 mg/kg bw	-----	Rat
	Skin sensitisation	Not sensitizing	OECD 429	Mouse
	Genotoxicity - in vivo	Not genotoxic	OECD 475	Mouse
	Genotoxicity - in vitro	Not genotoxic	OECD 473	
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Skin irritation	Corrosive.	OECD 404	Rabbit
Pentapotassium bis(peroxymonosulphate) bis(sulphate)	Eye irritation - estimate	Corrosive.		Rabbit
	LD50 (oral)	1204 mg/kg bw	OECD 401	Rat
	LD50 (dermal)	> 2000 mg/kg bw	OECD 402	Rat
	LC50 (inhalation)	> 5000 mg/m3	OECD 403	Rat
	NOAEL (oral)	200 mg/kg bw/d	OECD 408	Rat
	Skin sensitisation	Not sensitizing		Guinea pig
	Skin irritation	Corrosive.	OECD 404	Rabbit
	Eye irritation	Highly irritant	-----	Rabbit
	NOAEL (inhalation)	1,4 mg/m3		
	Mutagenicity	Negative	OECD 471	Salmonella typhimurium
	Genotoxicity - in vivo	Not genotoxic	OECD 474	Mouse
	NOAEL (development, oral)	Not teratogenic	OECD 414	Rat

11.2. Information on other hazards

Endocrine disrupting properties	: Not applicable.
Other information	: Not applicable.

SECTION 12 ECOLOGICAL INFORMATION

*

12.1. Toxicity

No ecotoxicological research has been carried out on this product.

Ecotoxicity : Calculated LC50 (fish): 195 mg/l. Calculated EC50 (waterflea): 143 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Persistence – degradability : No specific information known.

12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

12.4. Mobility in soil

Mobility : If product enters soil, it will be highly mobile and may contaminate groundwater.

12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances.

12.6. Endocrine disrupting properties

Endocrine disrupting properties : Not applicable.

12.7. Other adverse effects

Other adverse effects : Not applicable.

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product residues : Do not dispose empty pack with waste produced by households. Containers may be recycled. Treat product residues and non-empty pack as hazardous waste.

Additional warning : None.

European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

SECTION 14 TRANSPORT INFORMATION

*

14.1. UN number or ID number

UN nr. : UN 1759

14.2. UN proper shipping name

Transport name : CORROSIVE SOLID, N.O.S. (Disodium metasilicate ; Pentapotassium bis(peroxymonosulphate) bis(sulphate))

Transport name (IMDG, IATA) : CORROSIVE SOLID, N.O.S. (Disodium metasilicate ; Pentapotassium bis(peroxymonosulphate) bis(sulphate))

14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards

ADR/RID/ADN (road/railway/inland waterways)

Class : 8

Classification code : C10

Packaging group : II

Danger label : 8

Tunnel restriction code : E

:



Other information : Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)

Class : 8
Packaging group : II
EmS (fire / spill) : F - A / S - B
Marine pollutant : No

IATA (air)

Class : 8
ERG code : 8L
Packaging group : II

14.6. Special precautions for user

Other information : Country specific variations may apply. It is possible that a "Limited Quantity" exemption applies to the transport of this product.

14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments.
Packaged liquids are not considered bulk.

SECTION 15 REGULATORY INFORMATION

*

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations.
Regulation (EC) No 648/2004 (detergents). Directive 2008/98/EC (waste).

15.2. Chemical safety assessment

Chemical safety assessment : Not applicable.

SECTION 16 OTHER INFORMATION

*

16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (*).

List of abbreviations and acronyms that could be (but not necessarily are) used in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE : Acute Toxicity Estimate
CLP : Classification, Labeling & Packaging
CMR : Carcinogenic, Mutagenic or toxic for Reproduction

EEC	: European Economic Community
GHS	: Globally Harmonized System of Classification and Labelling of Chemicals
IATA	: International Air Transport Association
IBC code	: International Bulk Chemical Code
IMDG	: International Maritime Dangerous Goods Code
LD50/LC50	: Lethal Dose/Concentration for 50% of a population
MAC	: Maximum Allowable Concentration
MARPOL	: International Convention for the Prevention of Pollution From Ships
NO(A)EL	: No Observed (Adverse) Effect Level
OECD	: Organisation for Economic Co-operation and Development
PBT	: Persistent, Bioaccumulative and Toxic
PC	: Chemical product category
PT	: Product type
REACH	: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	: Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	: Sewage Treatment Plant
SU	: Sector of Use
TWA/STEL	: Time-Weighted Average/Short Term Exposure Limit
UN	: United Nations
UFI	: Unique formula identifier
VOC	: Volatile Organic Compounds
vPvB	: Very Persistent and Very Bioaccumulative

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

Skin Corr. 1	: Expert judgement.
Eye Dam. 1	: Expert judgement.
STOT SE 3	: Calculation method.
Met. Corr. 1	: Expert judgement.

Full text of hazard classes mentioned in section 3:

Acute Tox. 4	: Acute toxicity, category 4.
Skin Corr. 1A/B/C	: Skin corrosive, category 1A/B/C.
Eye Dam. 1	: Serious eye damage, category 1.
Eye Irrit. 2	: Eye irritation, category 2.
STOT SE 3	: Specific target organ toxicity after single exposure, category 3.
Aquatic Chronic 3	: Hazardous to the aquatic environment — Chronic category 3.
Met. Corr. 1	: Corrosive to metals, category 1.

Full text of H-phrases mentioned in section 3:

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Advice on any training appropriate for workers: none.

Number format : ", " used as decimal separator.

End of safety data sheet.