Printing date 24.01.2023 Revision: 24.01.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: SODIUM BISULPHATE
- · CAS Number:

7681-38-1

· EC number:

231-665-7

· Index number:

016-046-00-X

- **Registration number** 01-2119552465-36
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category
- PC14 Metal surface treatment products
- PC15 Non-metal-surface treatment products
- PC19 Intermediate
- PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents
- PC21 Laboratory chemicals
- PC25 Metal working fluids
- PC31 Polishes and wax blends
- PC35 Washing and cleaning products (including solvent based products)
- PC36 Water softeners
- PC37 Water treatment chemicals
- · Application of the substance / the mixture

The product has many industrial, professional and consumer applications.

· Uses advised against

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Processes involving the use of incompatible substances - refer to section 10.

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Complete Pool Controls Ltd

Unit 2, The Park

Stoke Orchard

Bishops Cleeve

Gloucestershire

GL52 7RS

UK

Tel: +44 (0) 8712 229081 (office hours) email: sales@cpc-chemicals.co.uk

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

UK National Poisons Information Service. E-mail: npis.birmingham@nhs.net; Tel: +44 (0)344 892 0111

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms GHS05
- · Signal word Danger

(Contd. on page 2)

Printing date 24.01.2023 Revision: 24.01.2023

Trade name: SODIUM BISULPHATE

(Contd. of page 1)

· Hazard statements

H318 Causes serious eye damage.

· Precautionary statements

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Chemical characterisation: Substances

· CAS No. Description

7681-38-1 Sodium hydrogensulphate

· Identification number(s) · EC number: 231-665-7 · Index number: 016-046-00-X

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- \cdot $After\ skin\ contact:$ Immediately rinse with water.
- · After eye contact:

DO NOT DELAY!

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

- · Information for doctor: Treat symptomatically and supportively.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Water spray
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

Heating of container(s) will cause pressure rise with risk of bursting and subsequent explosion.

Gives off toxic and irritant fumes when heated or burning.

May attack metals and produce hydrogen gas.

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Do not inhale explosion gases or combustion gases.

(Contd. on page 3)

(Contd. of page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.01.2023 Revision: 24.01.2023

Trade name: SODIUM BISULPHATE

· Additional information

Cool endangered receptacles with water spray.

Non-combustible solid.

Very soluble in water.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of dust.

Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection: Protect from heat.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Storage temperature 10 °C – 30 °C

Relative air humidity 10% - 55%

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · DNELs No hazard identified.
- · PNECs

PNEC aqua (freshwater): 11.09 mg/L

PNEC aqua (marine water): 1.109 mg/L

PNEC aqua (intermittent releases): 17.66 mg/L

PNEC STP: 800 mg/L

PNEC sediment (freshwater): 40.2 mg/kg sediment dw

PNEC sediment (marine water): 4.02 mg/kg sediment dw

PNEC soil: 1.54 mg/kg soil dw

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

Printing date 24.01.2023 Revision: 24.01.2023

Trade name: SODIUM BISULPHATE

(Contd. of page 3)

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

Do not eat, drink, smoke or sniff while working.

Do not breath dust

Ensure that eyewash stations and safety showers are close to the workstation location.

- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection:

· Density at 20 °C:

Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

SECTION 9: Physical and chemical properties · 9.1 Information on basic physical and chemical properties · General Information · Appearance: Solid Form: **Colour:** White · Odour: Odourless \cdot pH-value (20 g/l) at 20 °C: 1.3 · Change in condition **Melting point/freezing point:** 315 °C Initial boiling point and boiling range: decomp@460 °C · Flash point: Not applicable. · Flammability (solid, gas): Product is not flammable. · Explosive properties: Product does not present an explosion hazard.

2.43 g/cm³

(Contd. on page 5)

Printing date 24.01.2023 Revision: 24.01.2023

Trade name: SODIUM BISULPHATE

	(Contd. of page 4)
· Solubility in / Miscibility with	
water at 20 °C:	285 g/l
· 9.2 Other information	NOTE: The physical data presented above are typical values and should not be construed as a specification.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

To avoid thermal decomposition do not overheat.

Gives off toxic and irritant fumes when heated or burning.

· 10.3 Possibility of hazardous reactions

Reacts with alcohols.

Aqueous solution forms hydrogen in contact with some metals.

Forms acidic solution in water.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: Alkalis, metals, alchols and oxidising agents.
- · 10.6 Hazardous decomposition products: Sulphur oxides (SOx)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

7681-38-1 Sodium hydrogensulphate

Oral LD50 >2000 mg/kg (rat)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye damage.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

7681-38-1 Sodium hydrogensulphate

EC50 >100 mg/kg (daphnia)

- 12.2 Persistence and degradability No further relevant information available.
- \cdot 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

Revision: 24.01.2023 Printing date 24.01.2023

Trade name: SODIUM BISULPHATE

(Contd. of page 5)

- · Ecotoxical effects:
- · Other information:

Caution: forms acidic solutions which are harmful to aquatic life. Neutralise before disposal.

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Container remains hazardous when empty. Continue to observe all precautions.

Containers, even those that are "empty," may contain residues that can develop hazardous gases and vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers. Disposal must be made according to official regulations.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	

Printing date 24.01.2023 Revision: 24.01.2023

Trade name: SODIUM BISULPHATE

(Contd. of page 6)

· 14.7 Transport in bulk according to Annex II of		
Marpol and the IBC Code	Not applicable.	
· Transport/Additional information:	Not dangerous according to the above specifications.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product safety department.
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Annex: Exposure scenario

- · Sector of Use SU5 Manufacture of textiles, leather, fur
- · Product category
- PC14 Metal surface treatment products
- PC15 Non-metal-surface treatment products
- PC19 Intermediate
- PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents
- PC21 Laboratory chemicals
- PC25 Metal working fluids
- PC31 Polishes and wax blends
- PC35 Washing and cleaning products (including solvent based products)
- PC36 Water softeners
- PC37 Water treatment chemicals
- · Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- $\cdot \ Conditions \ of \ use$
- · Duration and frequency 5 workdays/week.
- · Environment Avoid contact to soil and / or ground water during application
- · Physical parameters
- · Physical state Solid
- · Concentration of the substance in the mixture Raw material.
- · Used amount per time or activity <1 tons per day

(Contd. on page 8)

Printing date 24.01.2023 Revision: 24.01.2023

Trade name: SODIUM BISULPHATE

(Contd. of page 7)

· Other operational conditions

· Other operational conditions affecting environmental exposure

Observe section 6 of the Safety Data Sheet (Accidental release measures).

· Other operational conditions affecting worker exposure

Avoid contact with eyes.

Avoid long-term or repeated skin contact.

- · Other operational conditions affecting consumer exposure No special measures required.
- · Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection

· Organisational protective measures

Provide Internal Plant Instruction.

Handling procedures must be well documented.

Provide washing facilities in the workplace.

Provide emergency eye wash station and mark its location clearly.

· Technical protective measures

Ensure that suitable extractors are available on processing machines

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of dust.

· Personal protective measures

Do not inhale dust / smoke / mist.

Avoid contact with the eyes.

Tightly sealed goggles

Do not eat or drink while working.

Be sure to clean skin thoroughly after work and before breaks.

Ensure that washing facilities are available at the work place.

- · Measures for consumer protection Ensure adequate labelling.
- · Environmental protection measures

· Water

Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.

· Soil Prevent contamination of soil.

· Disposal measures

Ensure that waste is collected and contained.

Must not be disposed of with household waste. Do not allow to reach sewage system.

Disposal must be made according to official regulations.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

$\cdot \ Disposal \ procedures$

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

GB