

Page 1/12

## Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 12.02.2024 Version number 5 Revision: 12.02.2024

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Filter Guard
- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC37 Water treatment chemicals
- · Application of the substance / the mixture

Cleaning agent/ Cleaner Swimming pool product

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Complete Pool Controls Ltd

Unit 2, The Park

Stoke Orchard

Bishops Cleeve

Gloucestershire

**GL52 7RS** 

UK

Tel: +44 (0)1242 662700 (office hours) email: sales@cpc-chemicals.co.uk

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

P261 Avoid breathing mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)



Page 2/12

### Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 12.02.2024 Version number 5 Revision: 12.02.2024

**Trade name: Filter Guard** 

(Contd. of page 1)

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

| · Dangerous components:        |  |             |
|--------------------------------|--|-------------|
| CAS: 160901-09-7               | Alcohols, C9-11, branched and linear, ethoxylated    | 2.5 - < 10% |
| NLP: 500-446-0                 | Eye Irrit. 2, H319; Aquatic Chronic 3, H412          |             |
| Reg.nr.: 01-2119979533-26-XXXX |  |             |
|                                |  |             |
| CAS: 111-76-2                  | 2-butoxyethanol                                      | 2.5 – < 10% |
| EINECS: 203-905-0              | Acute Tox. 3, H331;  Acute Tox. 4, H302; Skin Irrit. |             |
| Reg.nr.: 01-2119475108-36-XXXX | 2, H315; Eye Irrit. 2, H319                          |             |
|                                |  |             |
| CAS: 7320-34-5                 | Tetrapotassium pyrophosphate                         | 1 - 2.5%    |
| EINECS: 230-785-7              | <b>①</b> Eye Irrit. 2, H319                          |             |
| Reg.nr.: 01-2119489369-18-XXXX |  |             |
|                                |  |             |
| CAS: 1310-58-3                 | Potassium hydroxide                                  | 1 – < 2%    |
| EINECS: 215-181-3              | Skin Corr. 1A, H314; (1) Acute Tox. 4, H302          |             |
| Reg.nr.: 01-2119487136-33-XXXX | Specific concentration limits:                       |             |
|                                | Skin Corr. 1A; H314: C ≥ 5%                          |             |
|                                | Skin Corr. 1B; H314: 2 % ≤ C < 5 %                   |             |
|                                | Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %                 |             |
|                                | Eye Irrit. 2; H319: $0.5 \% \le C < 2 \%$            |             |

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

(Contd. on page 3)



Page 3/12

## Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 12.02.2024 Version number 5 Revision: 12.02.2024

**Trade name: Filter Guard** 

(Contd. of page 2)

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- Information for doctor: Treat symptomatically and supportively.
- · 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Phosphorous oxides

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

#### **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

· 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

 $\cdot$  6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Page 4/12

## Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 12.02.2024 Version number 5 Revision: 12.02.2024

**Trade name: Filter Guard** 

(Contd. of page 3)

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Handling: Do not mix with other products.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Prevent any seepage into the ground.

Do not store in aluminium, copper, zinc containers.

- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Protect from frost.

Store in cool, dry conditions in well sealed receptacles.

- · Storage class: 12
- · 7.3 Specific end use(s) No further relevant information available.

| SECTION | 8: Exposure co | introle/narcona | Inrotection |
|---------|----------------|-----------------|-------------|
|         | o: DXUUSIIIE C |                 |             |

· 8.1 Control parameters

| · Additiona              | · Additional information about design of technical facilities: No further data; see section 7. |                                       |  |  |
|--------------------------|--|---------------------------------------|--|--|
| · Ingredien              | · Ingredients with limit values that require monitoring at the workplace:                      |                                       |  |  |
| 111-76-2 2               | 111-76-2 2-butoxyethanol   |                                       |  |  |
| Lon                      | WEL Short-term value: 246 mg/m³, 50 ppm<br>Long-term value: 123 mg/m³, 25 ppm<br>Sk, BMGV      |                                       |  |  |
| 1310-58-3                | Potassium hydroxide  |                                       |  |  |
| WEL Sho                  | WEL Short-term value: 2 mg/m³  |                                       |  |  |
| · DNELs                  | · DNELs  |                                       |  |  |
| 160901-09                | 160901-09-7 Alcohols, C9-11, branched and linear, ethoxylated                                  |                                       |  |  |
| Oral                     | DNEL Long-term systemic effects  | 3 mg/kg bw/day (general population)   |  |  |
| Dermal                   | DNEL Long-term systemic effects  | 150 mg/kg bw/day (general population) |  |  |
|                          |  | 420 mg/kg bw/day (worker)             |  |  |
| Inhalative               | DNEL Long-term systemic effects  | 7.84 mg/m³ (general population)       |  |  |
|                          |  | 44.4 mg/m³ (worker)                   |  |  |
| 111-76-2 2-butoxyethanol |  |                                       |  |  |
| Oral                     | DNEL Long-term systemic effects  | 6.3 mg/kg bw/day (general population) |  |  |

(Contd. on page 5)



Page 5/12

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 12.02.2024 Version number 5 Revision: 12.02.2024

Trade name: Filter Guard

|                                | In the second se |   | (Contd. of pa |
|--------------------------------|--|---|---------------|
|                                | · ·  | ts 26.7 mg/kg bw/day (general population) |               |
| Inhalative                     | DNEL Long-term systemic effect   |   |               |
|                                |  | 98 mg/m³ (worker)                         |               |
|                                | DNEL Short-term systemic effect  | ts 426 mg/m³ (general population)         |               |
|                                |  | 1,091 mg/m³ (worker)                      |               |
|                                | DNEL Short-term local effects  | 147 mg/m³ (general population)            |               |
|                                |  | 246 mg/m³ (worker)                        |               |
|                                | Tetrapotassium pyrophosphate   |   |               |
| Inhalative                     | DNEL Long-term systemic effect   |   |               |
|                                |  | 17.63 mg/m³ (worker)                      |               |
|                                | Potassium hydroxide  |   |               |
| Inhalative                     | DNEL Long-term local effects   | 1 mg/m³ (general population)              |               |
|                                |  | 1 mg/m³ (worker)                          |               |
| PNECs                          |  |   |               |
| 160901-09                      | 9-7 Alcohols, C9-11, branched ar   | nd linear, ethoxylated                    |               |
| PNEC Fre                       | shwater  | 10.7 μg/L                                 |               |
| PNEC Fre                       | shwater - Intermittent releases  | 19.5 μg/L                                 |               |
| PNEC Ma                        | rine water   | 1.07 μg/L                                 |               |
| PNEC Ma                        | rine Water - Intermittent releases   | 1.95 μg/L                                 |               |
| PNEC Sev                       | vage Treatment Plant   | 10 mg/L                                   |               |
| PNEC Sed                       | liment (freshwater)  | 73.9 µg/kg                                |               |
| PNEC Sed                       | liment (marine water)  | 7.39 µg/kg                                |               |
| PNEC Soi                       | 1  | 8.6 μg/kg                                 |               |
| 111-76-2                       | 2-butoxyethanol  |   |               |
| PNEC Fre                       | shwater  | 8.8 mg/L                                  |               |
| PNEC Fre                       | shwater - Intermittent releases  | 26.4 mg/L                                 |               |
| PNEC Ma                        | rine water   | 880 μg/L                                  |               |
| PNEC Sev                       | vage Treatment Plant   | 463 mg/L                                  |               |
| _                              |  | 34.6 mg/kg                                |               |
| PNEC Sediment (marine water) 3 |  | 3.46 mg/kg                                |               |
| PNEC Soil 2                    |  | 2.33 mg/kg                                |               |
| PNEC Secondary poisoning 20    |  | 20 mg/kg food                             |               |
| Ingredien                      | ts with biological limit values:   |   |               |
| _                              | 2-butoxyethanol  |   |               |
|                                | 40 mmol/mol creatinine   |   |               |
|                                | ledium: urine  |   |               |
| S                              | ampling time: post shift   |   |               |
| Pa                             | arameter: butoxyacetic acid  | ing the making were used as basis.        |               |



Page 6/12

## Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 12.02.2024 Version number 5 Revision: 12.02.2024

Trade name: Filter Guard

(Contd. of page 5)

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat, drink, smoke or sniff while working.

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Goggles recommended during refilling

· Body protection:



Impervious protective clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

CP



Page 7/12

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 12.02.2024 Version number 5 Revision: 12.02.2024

Trade name: Filter Guard

(Contd. of page 6)

| <b>SECTION 9: Physical and chemi</b>                           | cal properties   |
|--|--|
|  | * *  |
| 9.1 Information on basic physical and c<br>General Information | nemicai properties   |
| Appearance:  |  |
| Form:  | Liquid   |
| Colour:  | Light yellow   |
| · Odour:   | Mild   |
| Odour threshold:   | Not determined.  |
| pH-value at 20 °C:   | 11   |
| Change in condition  |  |
| Melting point/freezing point:                                  | Undetermined.  |
| Initial boiling point and boiling range                        | : 100 °C   |
| Flash point:   | Not applicable.  |
| Flammability (solid, gas):                                     | Not applicable.  |
| Decomposition temperature:                                     | Not determined.  |
| Ignition temperature:  | Product is not self-igniting.                              |
| Explosive properties:  | Product does not present an explosion hazard.              |
| Explosion limits:  |  |
| Lower:   | Not determined.  |
| Upper:   | Not determined.  |
| Vapour pressure at 20 °C:                                      | 23 hPa   |
| Density at 20 °C:  | 1.004 g/cm <sup>3</sup>                                    |
| Relative density   | Not determined.  |
| Vapour density   | Not determined.  |
| · Evaporation rate   | Not determined.  |
| Solubility in / Miscibility with                               |  |
| water:   | Fully miscible.  |
| Partition coefficient: n-octanol/water:                        | Not determined.  |
| Viscosity:   |  |
| Dynamic:   | Not determined.  |
| Kinematic:   | Not determined.  |
| Solvent content:   |  |
| VOC (EC)   | 4.80 %   |
| 9.2 Other information  | NOTE: The physical data presented above are typical values |

### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

(Contd. on page 8)



Page 8/12

### Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 12.02.2024 Version number 5 Revision: 12.02.2024

**Trade name: Filter Guard** 

(Contd. of page 7)

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Do not mix with other chemical formulations in their concentrated form.
- · 10.5 Incompatible materials:

Strong acids.

Finely powdered metals.

Strong oxidising agents.

· 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Phosphorus oxides (e.g. P2O5)

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC50  | · LD/LC50 values relevant for classification: |                        |  |
|------------|---|------------------------|--|
| ATE (Acu   | ATE (Acute Toxicity Estimates)                |                        |  |
| Oral       | LD50  | 13,152 mg/kg           |  |
| Inhalative | LC50/4 h                                      | 62.5 mg/l (ATE)        |  |
| 111-76-2   | 111-76-2 2-butoxyethanol                      |                        |  |
| Oral       | LD50  | 1,200 mg/kg (ATE)      |  |
| Dermal     | LD50  | 3,000 mg/kg (rabbit)   |  |
| Inhalative | LC50/4 h                                      | 3 mg/l (ATE)           |  |
|            |   | 3 mg/l (rat)           |  |
| 7320-34-5  | 7320-34-5 Tetrapotassium pyrophosphate        |                        |  |
| Oral       | LD50  | > 2,000 mg/kg (mouse)  |  |
| Dermal     | LD50  | > 2,000 mg/kg (rabbit) |  |

### 1310-58-3 Potassium hydroxide

Oral LD50 333 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 9)



Page 9/12

### Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 12.02.2024 Version number 5 Revision: 12.02.2024

**Trade name: Filter Guard** 

(Contd. of page 8)

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

#### 7320-34-5 Tetrapotassium pyrophosphate

EC50 (96 h) > 100 mg/l (Bacteria)

- 12.2 Persistence and degradability The organic portion of the product is biodegradable.
- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

GE



Page 10/12

### Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 12.02.2024 Version number 5 Revision: 12.02.2024

**Trade name: Filter Guard** 

(Contd. of page 9)

| SECTION 14: Transport information   |  |  |
|---|--|--|
| · 14.1 UN-Number<br>· ADR/RID/ADN, ADN, IMDG, IATA  | Void   |  |
| <ul><li>14.2 UN proper shipping name</li><li>ADR/RID/ADN, ADN, IMDG, IATA</li></ul>       | Void   |  |
| · 14.3 Transport hazard class(es)   |  |  |
| · ADR/RID/ADN, ADN, IMDG, IATA<br>· Class   | Void   |  |
| · 14.4 Packing group<br>· ADR/RID/ADN, IMDG, IATA   | Void   |  |
| · 14.5 Environmental hazards:<br>· Marine pollutant:                                      | No   |  |
| · 14.6 Special precautions for user   | Not applicable.                                      |  |
| • 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. |  |  |
| · Transport/Additional information:   | Not dangerous according to the above specifications. |  |
| · UN "Model Regulation":  | Void   |  |

#### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

1310-58-3 Potassium hydroxide

17% of total caustic alkalinity

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- $\cdot$  DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

(Contd. on page 11)



Page 11/12

### Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 12.02.2024 Version number 5 Revision: 12.02.2024

**Trade name: Filter Guard** 

(Contd. of page 10)

#### · REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Information about limitation of use:

| Class | Share in % |
|-------|------------|
| NK    | 4.8        |

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### · Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H412 Harmful to aquatic life with long lasting effects.

#### · Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· Department issuing SDS: Product safety department.

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH)

(Contd. on page 12)



Page 12/12

## **Safety data sheet** according to 1907/2006/EC, Article 31 as amended

Printing date 12.02.2024 Version number 5 Revision: 12.02.2024

Trade name: Filter Guard

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

\* Data compared to the previous version altered.

(Contd. of page 11)

GB