

Page 1/13

## Safety data sheet

according to 1907/2006/EC, Article 31 as amended

Printing date 13.11.2023

Version number 5

Revision: 09.11.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Non Chlorine Shock

- · Article number: NCS
- · Registration number Mixture
- $\cdot$  1.2 Relevant identified uses of the substance or mixture and uses advised against
- Product category PC37 Water treatment chemicals
- · Application of the substance / the mixture Disinfectant
- · Uses advised against

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

Any use involving significant release of dust, vapour or mist in the breathing zone of workers where they are exposed without suitable respiratory protective equipment (RPE).

Processes involving the use of incompatible substances - refer to section 10.

Processes involving extreme heat use advised against.

- $\cdot$  1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:
- Complete Pool Controls Ltd Unit 2, The Park Stoke Orchard Bishops Cleeve Gloucestershire GL52 7RS UK

Tel: +44 (0)1242 662700 (office hours) email: sales@cpc-chemicals.co.uk

• Further information obtainable from: Product safety department.

• **1.4 Emergency telephone number:** Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

## **SECTION 2: Hazards identification**

## $\cdot$ 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Corrosion

Skin Corr. 1AH314 Causes severe skin burns and eye damage.Eye Dam. 1H318 Causes serious eye damage.

(Contd. on page 2)



Page 2/13

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 13.11.2023

Version number 5

Revision: 09.11.2023

**Trade name: Non Chlorine Shock** 

	(Contd. of page 1)
Acute Tox.	4 H302 Harmful if swallowed.
Aquatic Chr • Additional	onic 3 H412 Harmful to aquatic life with long lasting effects.
	intornation: intains DIPOTASSIUM PEROXODISULPHATE. May produce an allergic reaction.
· 2.2 Label el	
	ccording to Regulation (EC) No 1272/2008 is classified and labelled according to the GB CLP regulation.
	tograms GHS05, GHS07, GHS08
· Signal word	8
0	
	ermining components of labelling: eroxomonosulphate
	n peroxodisulphate
dipotassium	
	ydrogensulphate
· Hazard sta	
H302 Harm	ful if swallowed.
	s severe skin burns and eye damage.
	cause allergy or asthma symptoms or breathing difficulties if inhaled.
	ful to aquatic life with long lasting effects.
	ary statements
P260	Do not breathe dusts or mists.
P303+P301	+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, in
1 505+1 551	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internationa
	regulations.
• 2.3 Other h	
	PBT and vPvB assessment
• <b>PBT:</b> Not a	
• <b>vPvB:</b> Not a	applicable.

# **SECTION 3: Composition/information on ingredients**

×

• **3.2 Chemical characterisation: Mixtures** • **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)

GB



Page 3/13

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 13.11.2023

Version number 5

Revision: 09.11.2023

## Trade name: Non Chlorine Shock

Dangerous components:		
CAS: 70693-62-8	Potassium peroxomonosulphate	50 - 100%
EINECS: 274-778-7	Skin Corr. 1B, H314; Acute Tox. 4, H302; Aquatic	
Reg.nr.: 01-2119485567-22-XXXX		
CAS: 7646-93-7	potassium hydrogensulphate	2.5 - < 5%
EINECS: 231-594-1	♦ Skin Corr. 1B, H314; ♦ STOT SE 3, H335	
Reg.nr.: 01-2120764174-54-XXXX		
CAS: 7790-62-7	dipotassium disulphate	3 - < 5%
	♦ Acute Tox. 3, H331; ♦ Skin Corr. 1A, H314; Eye Dam.	
Reg.nr.: 01-2119987095-26-XXXX	1, H318	
CAS: 7727-21-1	Dipotassium peroxodisulphate	2.5 - < 5%
	🚸 Ox. Sol. 3, H272; 🚸 Resp. Sens. 1, H334; 🕩 Acute	
Reg.nr.: 01-2119495676-19-XXXX	Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin	
	Sens. 1, H317; STOT SE 3, H335	
	Specific concentration limit: Skin Sens. 1; H317: $C \ge 5 \%$	

## **SECTION 4: First aid measures**

### · 4.1 Description of first aid measures

## · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Wash mouth out with water

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

- Information for doctor: Treat symptomatically and supportively.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 4)

GB



Page 4/13

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 13.11.2023

Version number 5

Revision: 09.11.2023

(Contd. of page 3)

Trade name: Non Chlorine Shock

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

• Suitable extinguishing agents: Water spray Fire-extinguishing powder Foam

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents:
- Carbon dioxide Water with full jet
- **5.2 Special hazards arising from the substance or mixture** Corrosive. In case of fire, the following can be released: Sulphur Oxides (SOx) Toxic metal oxide smoke
- 5.3 Advice for firefighters
  Protective equipment: Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases.
- Wear fully protective suit.
- · Additional information Soluble in water.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures
Ensure adequate ventilation
Avoid formation of dust.
Use respiratory protective device against the effects of fumes/dust/aerosol.
Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:
Do not allow to penetrate the ground/soil.
Do not allow product to reach sewage system or any water course in the undiluted form.
Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:
Pick up mechanically.
Send for recovery or disposal in suitable receptacles.
Use neutralising agent.
Ensure adequate ventilation.
6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 5)

G



Page 5/13

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 13.11.2023

Version number 5

Revision: 09.11.2023

(Contd. of page 4)

## Trade name: Non Chlorine Shock

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

Safety showers and eye wash facilities should be available at the work area.

· Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Prevent any seepage into the ground.

Do not store in aluminium or galvanised containers.

• Information about storage in one common storage facility: Store away from reducing agents.

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

· Storage class: 8 A

• 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Oral	DNEL Long-term systemic effects	1 mg/kg bw/day (general population)
	DNEL Short-term systemic effects	3 mg/kg bw/day (general population)
Dermal	DNEL Long-term systemic effects	2 mg/kg bw/day (general population)
		4 mg/kg bw/day (worker)
Inhalative	DNEL Long-term local effects	56 μg/m <sup>3</sup> (general population)
		112 μg/m <sup>3</sup> (worker)
7790-62-7	dipotassium disulphate	
Inhalative	DNEL Long-term systemic effects	65 μg/m <sup>3</sup> (general population)
		130 μg/m <sup>3</sup> (worker)
	DNEL Short-term systemic effects	130 μg/m <sup>3</sup> (general population)
		260 μg/m <sup>3</sup> (worker)
	DNEL Long-term local effects	65 μg/m <sup>3</sup> (general population)



Page 6/13

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 13.11.2023

Version number 5

Revision: 09.11.2023

## **Trade name: Non Chlorine Shock**

		130 μg/m <sup>3</sup> (worker)	(Contd. of pa
	DNEL Short-term local effects	130 μg/m <sup>3</sup> (general population)	
	DIVEL SHORt-term local effects	$260 \ \mu g/m^3 \ (worker)$	
7727 21 1	Dipotassium peroxodisulphate		
Oral	DNEL Short-term systemic effec		
Olai	•	ts 460 μg/kg bw/day (general population)	
Dermal	DNEL Long-term systemic effec		
Definal	DIVEL Long-term systemic enec	12.7 mg/kg bw/day (worker)	
Inholotivo	DNEL Long-term local effects	421 μg/m <sup>3</sup> (general population)	
milatative	DIVEL Long-term local effects	$824 \ \mu\text{g/m}^3 (\text{worker})$	
DUEG			
· PNECs	0 D 4	A	
70693-62- PNEC Fre	8 Potassium peroxomonosulpha		
		22.2 μg/L	
	shwater - Intermittent releases	10 µg/L	
PNEC Ma		2.22 μg/L	
	rine Water - Intermittent releases		
	vage Treatment Plant	1 mg/L	
	liment (freshwater)	79.92 μg/kg	
	liment (marine water)	7.992 µg/kg	
PNEC Soi		2.996 µg/kg	
	dipotassium disulphate	(00 M	
PNEC Fre		680 μg/L	
	shwater - Intermittent releases	6.8 mg/L	
PNEC Ma		68 μg/L	
	vage Treatment Plant	800 mg/L	
	liment (freshwater)	2.5 mg/kg	
	liment (marine water)	250 μg/kg	
PNEC Soi		92 µg/kg	
	Dipotassium peroxodisulphate		
PNEC Fre		518 μg/L	
	shwater - Intermittent releases	763 μg/L	
PNEC Ma		51.8 µg/L	
	vage Treatment Plant	3.6 mg/L	
	liment (freshwater)	2.03 mg/kg	
	liment (marine water)	203 μg/kg	
PNEC Soi		100 μg/kg ring the making were used as basis.	

(Contd. on page 7)

GB



Page 7/13

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 13.11.2023

Version number 5

Revision: 09.11.2023

(Contd. of page 6)

## Trade name: Non Chlorine Shock

- · 8.2 Exposure controls
- · Personal protective equipment:

## · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat or drink while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

### **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

If respiratory protection is required, institute a complete respiratory protection program including selection, fit testing, training, maintenance and inspection.

## · Protection of hands:



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles conforming to EN166.

### · Body protection:



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

(Contd. on page 8)



Page 8/13

## Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 13.11.2023

Version number 5

Revision: 09.11.2023

**Trade name: Non Chlorine Shock** 

(Contd. of page 7)

Colour:ActOdour:ChOdour threshold:NopH-value at 20 °C:2 -Change in conditionImage: Change in conditionMelting point/freezing point:UnInitial boiling point and boiling range:UnFlash point:NoFlash point:NoFlammability (solid, gas):NoDecomposition temperature:>5Ignition temperature:ProExplosive properties:ProExplosion limits:NoUpper:NoVapour pressure:NoVapour pressure:NoVapour densityNoVapour densityNoSolubility in / Miscibility with water:So	blid coording to product specification haracteristic of determined. - 3 (1%) ndetermined. ndetermined. of applicable. of determined. of determined. of determined. of applicable. of determined. of o °C oduct is not self-igniting. oduct does not present an explosion hazard.
Form:SoColour:ActOdour:ChOdour threshold:NcpH-value at 20 °C:2 -Change in conditionImage: Change in conditionMelting point/freezing point:UnInitial boiling point and boiling range:UnFlash point:NcFlash point:NcFlammability (solid, gas):NcDecomposition temperature:>5Ignition temperature:>5Ignition temperature:NcExplosive properties:ProExplosion limits:NcUpper:NcVapour pressure:NcVapour pressure:NcSolubility in / Miscibility with water:NcSolubility in / Miscibility with water:Solubility in / Miscibility with	coording to product specification haracteristic of determined. - 3 (1%) ndetermined. hetermined. of applicable. of determined. of determined. of determined. of applicable. of determined.
Colour:AccOdour:ChOdour threshold:NopH-value at 20 °C:2 -Change in conditionImage in conditionMelting point/freezing point:UnInitial boiling point and boiling range:UnFlash point:NoFlash point:NoFlammability (solid, gas):NoDecomposition temperature:>5Ignition temperature:ProExplosive properties:ProExplosion limits:NoUpper:NoVapour pressure:NoVapour densityNoVapour densityNoSolubility in / Miscibility with water:So	coording to product specification haracteristic of determined. - 3 (1%) ndetermined. hetermined. of applicable. of determined. of determined. of determined. of applicable. of determined.
Odour:Ch NdOdour threshold:NdpH-value at 20 °C:2 -Change in condition Melting point/freezing point:Un Initial boiling point and boiling range:Flash point:NdFlash point:NdFlash point:NdDecomposition temperature:>5Ignition temperature:ProExplosive properties:ProLower:NdUpper:NdVapour pressure:NdVapour pressure:NdVapour densityNdVapour densityNdSolubility in / Miscibility with water:So	naracteristic ot determined. - 3 (1%) ndetermined. ndetermined. ot applicable. ot determined. i0 °C oduct is not self-igniting.
Odour threshold:NopH-value at 20 °C:2 -Change in condition Melting point/freezing point:UnInitial boiling point and boiling range:UnFlash point:NoFlash point:NoFlammability (solid, gas):NoDecomposition temperature:>5Ignition temperature:ProExplosive properties:ProExplosion limits: Lower: Upper:NoVapour pressure:NoDensity at 20 °C:1.1Relative density Vapour densityNoSolubility in / Miscibility with water:So	ot determined. - 3 (1%) ndetermined. ndetermined. ot applicable. ot determined. 50 °C oduct is not self-igniting.
Change in condition       Unitial point/freezing point:       Unitial boiling point and boiling range:         Flash point:       No         Flash point:       No         Flammability (solid, gas):       No         Decomposition temperature:       >5         Ignition temperature:       >5         Ignition temperature:       Pro         Explosive properties:       Pro         Explosion limits:       No         Upper:       No         Vapour pressure:       No         Density at 20 °C:       1.1         Relative density       No         Vapour density       No         Solubility in / Miscibility with       No         Solubility in / Miscibility with       So	ndetermined. ndetermined. ot applicable. ot determined. 50 °C oduct is not self-igniting.
Melting point/freezing point:Un Initial boiling point and boiling range:Un Initial boiling ran	adetermined. bt applicable. bt determined. 60 °C oduct is not self-igniting.
Initial boiling point and boiling range: UnFlash point:NoFlammability (solid, gas):NoDecomposition temperature:>5Ignition temperature:ProExplosive properties:ProExplosion limits:NoUpper:NoVapour pressure:NoDensity at 20 °C:1.1Relative densityNoVapour densityNoSolubility in / Miscibility with water:So	adetermined. bt applicable. bt determined. 60 °C oduct is not self-igniting.
Flash point:NoFlammability (solid, gas):NoDecomposition temperature:>5Ignition temperature:ProExplosive properties:ProExplosion limits:NoUoper:NoVapour pressure:NoDensity at 20 °C:1.1Relative densityNoVapour densityNoSolubility in / Miscibility with water:So	ot applicable. ot determined. 50 °C oduct is not self-igniting.
Flammability (solid, gas):       No         Decomposition temperature:       >5         Ignition temperature:       Pro         Explosive properties:       Pro         Explosion limits:       Image: Composition temperature:         Lower:       No         Upper:       No         Vapour pressure:       No         Density at 20 °C:       1.1         Relative density       No         Vapour density       No         Solubility in / Miscibility with water:       So	ot determined. 50 °C oduct is not self-igniting.
Decomposition temperature:       >5         Ignition temperature:       Pro         Explosive properties:       Pro         Explosion limits:       Image: Composition temperature:         Lower:       No         Upper:       No         Vapour pressure:       No         Density at 20 °C:       1.1         Relative density       No         Vapour density       No         Solubility in / Miscibility with water:       So	i0 °C oduct is not self-igniting.
Ignition temperature:       Pro         Explosive properties:       Pro         Explosion limits:       Image: Composition of the second	oduct is not self-igniting.
Explosive properties:       Pro         Explosion limits:       No         Lower:       No         Upper:       No         Vapour pressure:       No         Density at 20 °C:       1.1         Relative density       No         Vapour density       No         Solubility in / Miscibility with water:       So	
Explosion limits:         Lower:       No         Upper:       No         Vapour pressure:       No         Density at 20 °C:       1.1         Relative density       No         Vapour density       No         Evaporation rate       No         Solubility in / Miscibility with       So	oduct does not present an explosion hazard.
Lower:NoUpper:NoVapour pressure:NoDensity at 20 °C:1.1Relative densityNoVapour densityNoEvaporation rateNoSolubility in / Miscibility with water:So	* *
Upper:NoVapour pressure:NoDensity at 20 °C:1.1Relative densityNoVapour densityNoEvaporation rateNoSolubility in / Miscibility with water:So	
Vapour pressure:NoDensity at 20 °C:1.1Relative densityNoVapour densityNoEvaporation rateNoSolubility in / Miscibility with water:So	ot determined.
Density at 20 °C:1.1Relative densityNotVapour densityNotEvaporation rateNotSolubility in / Miscibility with water:So	ot determined.
Relative densityNotVapour densityNotEvaporation rateNotSolubility in / Miscibility with water:Solubility in / Solubility with	ot applicable.
Vapour densityNoEvaporation rateNoSolubility in / Miscibility with water:So	1 g/cm <sup>3</sup>
Evaporation rateNoSolubility in / Miscibility with water:So	ot determined.
Solubility in / Miscibility with water: So	ot applicable.
water: So	ot applicable.
<b>Partition coefficient:</b> n-octanol/water: No	luble.
	ot determined.
Viscosity:	
	ot applicable.
Kinematic: No	ot applicable.
9.2 Other information NO	OTE: The physical data presented above are typical values

## **SECTION 10: Stability and reactivity**

 $\cdot$  10.1 Reactivity No further relevant information available.

(Contd. on page 9) GB



Page 9/13

## Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 13.11.2023

Version number 5

Revision: 09.11.2023

(Contd. of page 8)

## **Trade name: Non Chlorine Shock**

<b>10.2</b> Chemical stability	
• Thermal decomposition / conditions to be avoided:	•
No decomposition if used and stored according to specificat	ions.
10.3 Possibility of hazardous reactions	
Acts as an oxidising agent on organic materials such as woo	
• 10.4 Conditions to avoid No further relevant information av	vailable.
· 10.5 Incompatible materials:	
Finely powdered metals.	
Strong bases.	
Strong acids.	
Cyanides	
Metal salts	
Halogenated hydrocarbons	
10.6 Hazardous decomposition products:	
Sulphur oxides (SOx)	
Metal oxide	

## · 11.1 Information on toxicological effects

## · Acute toxicity

Harmful if swallowed.

· LD/LC50 values relevant for classification:

## ATE (Acute Toxicity Estimates)

Oral	LD50	1,301.6 mg/kg (rat)
Inhalative	LC50/4 h	66.667 mg/l

		m peroxomonosulphate
Oral	LD50	1,204 mg/kg (rat)
Dermal	LD50	1,204 mg/kg (rat) > 11,000 mg/kg (rabbit) > 14 mg/l (rat)
Inhalative	LC50/4 h	> 14 mg/l (rat)

## 7646-93-7 potassium hydrogensulphate

OralLD502,340 mg/kg (rat)7727-21-1Dipotassium peroxodisulphateOralLD50802 mg/kg (rat)

Oral	LD50	802 mg/kg (rat)
Dermal	LD50	> 10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	> 42.9  mg/l (rat)

· Primary irritant effect:

- Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

(Contd. on page 10)

GB



Page 10/13

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 13.11.2023

Version number 5

Revision: 09.11.2023

(Contd. of page 9)

## Trade name: Non Chlorine Shock

#### · Additional toxicological information:

Inhalation may cause lung oedema, but only after initial corrosive effects on eyes and/or airways have become manifest. The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Immediate administration of an appropriate inhalation therapy by a doctor or a person authorized by him/her, should be considered.

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- $\cdot$  STOT-single exposure Based on available data, the classification criteria are not met.
- $\cdot$  STOT-repeated exposure Based on available data, the classification criteria are not met.
- $\cdot$  Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

#### · Aquatic toxicity:

### 70693-62-8 Potassium peroxomonosulphate

EC50 (96 h) 3.5 mg/l (Bacteria)

## 7727-21-1 Dipotassium peroxodisulphate

### EC50 (96 h) 133 mg/l (Bacteria)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish

### $\cdot$ Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Harmful to aquatic organisms

## · 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

## · 13.1 Waste treatment methods

- · Recommendation
- Recommended Hierarchy of Controls:
- Minimise waste;



Page 11/13

## **Safety data sheet** according to 1907/2006/EC, Article 31 as amended

Printing date 13.11.2023

Version number 5

Revision: 09.11.2023

(Contd. of page 10)

## Trade name: Non Chlorine Shock

- Reuse if not contaminated;

- Recycle, if possible; or

- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

## · Uncleaned packaging:

## · Recommendation:

Container remains hazardous when empty. Continue to observe all precautions.

Do not mix with other waste streams.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number · ADR/RID/ADN, IMDG, IATA	UN3260
<ul> <li>· 14.2 UN proper shipping name</li> <li>· ADR/RID/ADN</li> <li>· IMDG, IATA</li> </ul>	UN3260 CORROSIVE SOLID, ACIDIC, INORGANI N.O.S. (Potassium peroxomonosulphate, POTASSIU HYDROGEN SULPHATE) CORROSIVE SOLID, ACIDIC, INORGANIC, N.O. (Potassium peroxomonosulphate, POTASSIU HYDROGEN SULPHATE)
<ul> <li>· 14.3 Transport hazard class(es)</li> <li>· ADR/RID/ADN, IMDG, IATA</li> </ul>	
· Class	8 Corrosive substances.
A CONTRACTOR OF	8 Corrosive substances. 8
· Class	
• Class • Label • 14.4 Packing group	8
<ul> <li>Class</li> <li>Label</li> <li>14.4 Packing group</li> <li>ADR/RID/ADN, IMDG, IATA</li> </ul>	II
<ul> <li>Class</li> <li>Class</li> <li>Label</li> <li>14.4 Packing group</li> <li>ADR/RID/ADN, IMDG, IATA</li> <li>14.5 Environmental hazards:</li> </ul>	8 II Not applicable. Warning: Corrosive substances.

GB



Page 12/13

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 13.11.2023

Version number 5

Revision: 09.11.2023

## **Trade name: Non Chlorine Shock**

· Stowage Category	В
• 14.7 Transport in bulk according to A	nnex II of
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR/RID/ADN	
· Limited quantities (LQ)	1 kg
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
· Transport category	2
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	1 kg
· Excepted quantities (EQ)	Code: E2
_	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
· UN "Model Regulation":	UN 3260 CORROSIVE SOLID, ACIDIC, INORGANIC
2	N.O.S. (POTASSIUM PEROXOMONOSULPHATE
	POTASSIUM HYDROGEN SULPHATE), 8, II

## **SECTION 15: Regulatory information**

 $\cdot$  15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

## · Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

## · Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

- $\cdot$  Named dangerous substances ANNEX I None of the ingredients is listed.
- $\cdot$  15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.



Page 13/13

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 13.11.2023

Version number 5

Revision: 09.11.2023

(Contd. of page 12)

GP

## Trade name: Non Chlorine Shock

#### · Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

- · Department issuing SDS: Product safety department.
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Ox. Sol. 3: Oxidizing solids - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 3: Acute toxicity - Category 3 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 • \* Data compared to the previous version altered.