

TYLÖ[®]
for the senses



TYLÖ STEAM & SHOWER



Experience and read more about Tylö - for the senses, at
www.tylo.com/forthesenses




Open your senses. Let the steam embrace you.

Step into the warmth, feel the steam caress your skin. Your muscles relax, all tension is released. Your thoughts clear, your dreams become reality. A liberating sensation.

Our ambition is to create the ultimate pleasure that opens the door to your inner being. This is our promise to you. Our exclusive steam rooms have made Tylö a concept among those who enjoy life, all over the world. The steam bath has a constant humidity of 100% that touches all your senses and is a delightful bathing form. Our Scandinavian designers challenge themselves to design a setting that is an aesthetic statement. Ever since our founder Sven-Olof Janson made his first sauna in the 1950s, we have unveiled one ground-breaking innovation after the other. Every little detail is infused with consideration and love. Open the door and experience, come out feeling relaxed and refreshed – like new.





Tylö sees the whole picture

Take a seat. Unleash your spirit. Feel the harmony in the details, experience the whole. For us, the bathroom is a world of wellbeing and pleasure, where every detail blends onto a beautiful creation.

In this catalogue you can read about our complete range of steam baths, steam showers and showers, carefully designed to give you a liberating journey in your inner being. Read more about the different parts at www.tylo.com.

Fittings

The fittings stimulate every one of your senses for an intense overall experience. Besides being comfortable to sit on, the beautiful white benches in Tylö Impression are the epitome of good Scandinavian design. The design and finish of every detail are well thought out and beautiful to look at. No unnecessary nooks and crannies, no visible assembly hardware.

Doors & walls

Doors, walls and glass sections can be configured in many different ways to blend into your bathroom. We have made use of every single centimetre for you. Choose the fittings and equipment that best suit your bathroom. At Tylö, we care about personal expression.

Lighting

Lighting is important at Tylö. Our decorative inset downlights spread a soft glow over the steam bath. The warm, muted light embraces you and creates a suggestive ambience.

Steam shower column

The steam shower column has both a fixed shower head and a small, versatile handheld shower in a sleek design. The handle is comfortable to hold and gives a soft, pleasant experience.

Control panel

The small control panel on the steam shower column controls the steam generator. You can easily choose the time, temperature and programme. The panel is beautifully designed to blend into the environment.

Fragrance


Our delightful fragrant essences add an extra dimension to your bath. A drop or two in the steam nozzle guarantee an invigorating experience. The oils spread a wonderful fragrance of eucalyptus, peppermint, pine, lavender, cinnamon or citrus.



Read more about Tylö quality at
www.tylo.com/quality

Contents

Steam bath and shower	8
Steam column	10
ix210	12
i130 and i170	14
i110	16
Tylette	18
 Steam bath	 20
Elysee	22
Excellent	24
Steam generators	27
 Showers	 28
Shower profiles	30
Corner showers	32
 Accessories and control panels	 34
Lighting	36
Control panels	38
Towel rails	41
Hygiene/miscellaneous	42



See all of our steam bath products at
www.tylo.com/steambath



Scandinavian design

Close your eyes and let the steam embrace you. Steam bath is a delightful form of bathing that reaches pleasantly into your soul. The atmospheric humidity inside is a constant 100%, yet the temperature is low, just 40-45°C. The mild warmth and the intense atmospheric humidity help your muscles to relax – and your thoughts to wander. The steam cleans deep down, and your skin feels rejuvenated. A more pleasant way of changing into a new person does not exist. Our exclusive steam baths are available in many sleek designs to suit your bathroom. Tylö offers complete solutions including steam generators, control panels and doors, as well as wall and seat sections.

Steam column tx202



TYLÖ STEAM COLUMN TX202 G WITH H1 CONTROL VIEWED FROM THE OUTSIDE

Just steam – nothing else

Tylö's existing systems for steam bath solutions in niches are now being supplemented with a pure steam column with no shower. A perfect solution for people who already have a shower and only want to use the steam room for wonderful, soothing steam baths.

The product range has been specially designed to convert an existing niche into a steam room, and comprises a steam column, glass sections and a 60g glass door.



www.tylo.com/steamcolumn_tx202_g




Steam column tx202/g

Tylö's steam column tx202/g is a truly flexible solution developed specially to convert a niche into a steam room. The actual steam column can easily be combined with suitable glass sections and a steam door to achieve a fully tailored solution. The steam column is controlled with the control panel on the outside and is fitted on the inside with a steam head and a handheld shower. The steam column is also available as a pure steam column with no shower, called t202/g.

The product range includes:

Steam column tx202/g	(Art. 8900 8160)
Steam column t202/g	(Art. 8900 8170)
Glass section 398/202	(Art. 9091 4040)
Glass section 588/202	(Art. 9091 4050)
Glass section 778/202	(Art. 9091 4060)
Steam door 60g 202	(Art. 9091 4000)



Steam column tx202/w

The new tx202/w steam column is a freestanding steam column with both steam and shower as standard. The steam column makes it possible to convert a niche into a complete steam room and can be combined with associated glass sections, steam door and plastic domes. The column includes both a handheld and a main sprinkler head, as well as a steam head. The main shower head can be attached vertically, from 2180 mm to 1960 mm, as well as swivel to the right and left. The minimum installation size is 2140 mm. The column is also equipped with shelves for storage as well as Tylö's new h1 control panel, which operates the steam column via touch-control.

The product range includes:

Steam column tx202/w	(Art. 8900 8140)
----------------------	------------------



ix210



A complete home spa in a minimum of space.

Step into the warmth, feel your thoughts clear. Caress your hand over the soft wood and experience the beautifully carved surface. Tylö sauna ix210 offers an ingenious compact design measuring just 2.8 m², and provides a complete home spa including a traditional sauna, or gentler steam sauna, a soothing steam bath and a conventional shower. Even where space is at a premium, you can still enjoy the good life in the form of delightfully relaxing and invigorating saunas and steam baths in the comfort of your own home. It's a revolution in home spa design, compact enough to fit in an regular bathroom instead of in your garage or in your garden shed! We call it the Tylö Impression, because we know that it will not leave you unmoved.

Tylö sauna ix210(s)

Tylö sauna ix210 comprises two sections, for showers/steam baths and saunas/steam saunas respectively.

The exterior finish is available in white, black or wenge, a durable brown wood veneer. Doors and wall sections can be configured in many ways to suit different layouts and bathroom requirements.

Floor decking ix210 heat-treated ash
(Art. no. 9607 4765)

Bench, white i66
(Art. no. 9607 4750)

Bench White i44
(Art. 9607 4752)
Width: 44cm



ix210 white



ix210 black



ix210 wenge



www.tylo.com/impressionix210

Tylö Impression sauna and shower.


Tylö Impression is based on a unique system of profiles that gives you the maximum freedom of choice in the minimum amount of space by allowing you to vary the configuration, exterior finishes and bathing experiences. Shown here is the Tylö sauna ix210 with two cubicles, one for sauna bathing and one for showers, in a space of just 2125 x 1325 mm (external dimensions). The sauna cubicle comes complete with two wooden sauna benches, providing plenty of room for two adults and two children.

The lacquered aluminium profiles of the frame conform to a registered design that ensures maximum versatility within the unique Tylö system. They simply clip together, so no screws are needed for assembly. The sleek lines of the design are a joy to behold – and simplicity itself to clean.

Impression Cross Over + Steam gives you an innovative mix of different bathing experiences. A shower column and sauna cubicle are included as standard (ix210). If you wish, you can choose to replace the standard shower column with a steam shower column (ix210s). This means you can also enjoy a steam bath in the shower cubicle. The sauna heater is purchased separately to allow you to choose a traditional heater or a Tylö Combi heater so that you can also bathe in a steam sauna.


Select heater.

Choose a Compact 2/4 for dry saunas and classic sauna bathing, or a Combi 4 RC if you also wish to enjoy a steam sauna function.



A flexible system

Walls, glass sections and doors can be assembled in a variety of ways to suit your bathroom layout. You can also place all the interior fittings wherever you wish. Here is an example of a common configuration for the Impression i170. See more configurations on page 12.



The sauna benches are made of dark ash, heat-treated to cope with years of use, heat and humidity. The inside walls are clad in beautiful, knot-free, blonde aspen wood of the very highest quality.



The shower cubicle is constructed of aluminium, glass and high-gloss acrylic. These materials are unaffected by humidity, so you can install a steam shower column if you wish. Access to the sauna is via a sliding door in the spacious shower cubicle.

i130 & i170



IMPRESSION I170

Maximum freedom in a small space

Tylö's i170 and i130 steam showers offer a spa experience with a steam bath and shower. The steam showers are perfect in the modern bathroom, and embody a distinct Scandinavian design. Both steam showers are flexible solutions that can easily be adapted according to the existing layout (see proposals on next page). They are well suited to small or medium-sized rooms and for anyone who wants to enjoy shared moments of bathing bliss.

Tylö steam bath with shower i130

Shower and steam bath measures 1325 x 925 x 2100 mm (width x depth x height) and requires just 1.3 m² of floor space. Accommodates one person at a time.



Impression i130,
white



Impression i130,
black

Tylö steam bath with shower i170

Shower and steam bath measures 1725 x 925 x 2100 mm (width x depth x height) and requires just 1.7 m² of floor space. Plenty of space for two adults to relax in comfort.



Impression i170,
white



Impression i170,
black



Bench, white i44
(Art. 9607 4752)
Width: 44 cm.

Bench, white i66
(Art. 9607 4750)
Width: 66 cm.



www.tylo.com/impressioni130, www.tylo.com/impressioni170

Tylö Impression steam bath with shower

Tylö Impression is based on a unique system of profiles that can be varied by using different wall configurations and exterior finishes in a shared space for showers and steam baths made of aluminium, glass and high-gloss acrylic. Impression comes in two sizes: a slightly larger 1725 x 925 mm version with twin benches and a smaller 1325 x 925 mm version with a single bench, and is designed for simple water supply connection. The integral steam generator (max 4.5 kW) is convertible between 230 V~ and 400 V2N~ (two phase with neutral).

Good design

The attractive white benches, in compression-moulded high-pressure laminate, are the epitome of good design. Additional benches can also be ordered for use outside the shower. The design and finish of every detail is well thought out and beautiful to look at. The absence of nooks and crannies prevents dirt from accumulating and makes cleaning easy.



Tylö Impression i130 and i170. The walls can be installed reversed, and configured in many different ways to suit the layout of your particular bathroom. The control panel with touch-control on the steam shower column controls the steam generator.


The lacquered aluminium profiles conform to a registered design that ensures maximum versatility within the unique Tylö system. Once the frame has been screwed in place, the outer cladding simply clips on without any screws or visible fittings. The sleek lines of the design are a joy to behold – and simplicity itself to clean.

The steam head has a holder for fragrant essences to add yet another dimension to your bathing pleasure.



A flexible system

Walls, glass sections and doors can be assembled in a variety of ways to suit your bathroom layout. You can also place all the interior fittings wherever you wish. Here is an example of a common configuration for the Impression i170. See more configurations on page 17.



Tylö steam shower i110/c



www.tylo.com/impressioni110c



IMPRESSION I110C



A complete home spa in the smallest of spaces

Within a minimum space of less than 1.3 m², Tylö has created a home spa solution for corner installation that contains both a relaxing steam bath and a conventional shower. A revolution in home spa design, it is compact enough to fit in even a small bathroom. The steam bath is a gentler experience. The atmospheric humidity inside is at 100%, yet the temperature is only 40-45°C, inviting you to relax for a little longer.

Tylö steam shower i110/c is built around the same unique profile system as other steam showers in Tylö's Impression range, and is made of aluminium, glass and high-gloss acrylic.



Tylö's steam bath with shower, in the Impression series, is now available with a floor tray. The structure is made entirely of cast marble, an extremely stable material with a surface finish that ensures good water run-off.


Tylö's floor tray, for the Impression series, has adjustable feet and an integral water trap for optimum comfort. The tray entails an additional height of 100 mm, producing a total external height of 2200 mm for an Impression mounted on a tray. The tray is also supplied with a cup for waste water that is mounted on the steam head. The cup protects the tray and guarantees its function.




Your freedom of choice is part of our design plans

Walls, glass sections and doors can be assembled in a variety of different ways. The walls can be installed reversed, and configured in many different ways to suit the layout of your particular bathroom. You can also place all the interior fittings wherever you wish.

Tylö steam shower i170
(Outer ceiling height 2100 mm)




Tylö steam shower i130
(Outer ceiling height 2100 mm)



Tylö Impression i110/c
(Art. 9607 4630)

The Impression i110/c measures just 1125 x 1125 mm and comes with a bench. External height 2100 mm. Accommodates one person at a time.





Tylö steam shower Tylette Centre


A “bathroom” for the bathroom.

Tylette Centre takes up no more floor space than an ordinary corner bathtub, but offers much more in the way of comfort, convenience and flexibility. This hydro-steam cabinet turns bathing from a practical necessity into a highly pleasurable way to relax, recharge your batteries and get ready to face the challenges of a new day. It brings more choice into your bathroom – a self-contained world of water and steam where you can sit in comfort, unwind in clouds of soothing steam and enjoy the invigorating effect of all sorts of water therapy. There are two fully integrated shower seats to allow you to share these moments of bathing bliss.

The elegantly curved, tempered glass front has a space-saving sliding door that can be fitted to open left or right and gives a full 60 cm access width. The door can be hung on the right or left-hand side. Two comfortable seats, one placed in the corner, are integrated into the wall sections, and all the connections for water and electricity, together with the steam generator are hidden behind the large mirrored wall.

The cabinet can be angled, but not reversed, and comes complete with decorative halogen lighting inside and out.

Designed for corner installation. Connect to electricity (min. 10 A), water supply and drainage. The steam generator (4.5 kW) is convertible between 230 V~ and 400 V2N~ (two phase with neutral). The minimum water pressure is 2.5 bar and the run-off capacity is 50 litres/minute.



Tylette Centre

(Art. no. 9607 3302)

White walls. Size: 1420 x 1420 mm, height 1980 mm.

Floor decking

(Art. no. 9005 9020)

Exclusive optional floor decking made entirely of teak and dimensioned for Tylette Centre.

Integral steam generator for relaxing bathing in clouds of soothing steam. The generator fills, empties and flushes automatically.

Complete shower kit with chrome-plated riser and sprinkler head with adjustable shower function, from a gentle spray to a pulsating jet of water.

Thermostatically controlled mixer tap in an elegant, chrome-plated design – high quality and easy to operate.

Space-saving sliding door made from the finest materials. Install to open left or right.

Recessed LED lighting provides just the right level of illumination inside the bathing cabinet and out.

Easy-to-operate control panel shows time, temperature, steam-bath and lighting settings.

Finest quality material – vacuum-formed, special-grade plastic, tempered safety glass and aluminium profiles for a safe, sturdy, steam and watertight construction. Comfort and convenience with integral seats and practical integral wall shelves.

Fragrant essence holder for natural essences that spread a spicy or invigorating scent in the steam bath.



See all of our steam bath products at
www.tylo.com/steambath



Steam bath

Steam baths – welcome to the world of maximum enjoyment. The luxurious thermal baths of Roman times are the predecessor to today's modern steam baths. Steam baths are a pleasant form of bathing. They are distinguished by a constant humidity of 100% and therefore require a space with walls and a ceiling made of plastic, glass or tiles.

Steam baths are our modern-day successor to the Romans' magnificent bathing palace. In them you can lean back in comfort, surrounded by steam, and experience the sensation of 100% relaxation in your own home spa. The mild warmth of the steam bath, combined with the intensive humidity, works on your body and helps your muscles to relax – and your thoughts to wander. At the same time, the steam cleans deep down and your skin feels rejuvenated, supple and silky smooth. There is not a more pleasant way to change into a new person.

Tylö steam bath Elysée



TYLÖ ELYSEE, FITTED WITH TWO GLASS SECTIONS

The choice of professionals

A luxurious steam room that meets the highest criteria for style and function. Tylö Elysée is the perfect complement to public bathing facilities in hotels, spas and corporate hospitality suites – and a dream come true in most homes.

Tylö Elysée comes in many different sizes and styles (see pages 20–21 for details).



Service section Complete

Made of vacuum-formed, special-grade white plastic. With shelf compartments, jet nozzles for water massage, thermostatically controlled mixer tap, shower head and riser rail. Can be used to replace a wall/seat section.

More optional extras

Wall/seat modules can be replaced with a glass section to allow more light at no extra charge.

All rooms can also be equipped with a service wall, with shelf compartments and fittings for mixer tap, shower head and riser rail at no extra charge. The service wall can be ordered instead of the corresponding wall/seat module, thereby reducing the number of seats in the steam room.

Steam rooms with a floor area of up to 4 m² can be supplied with a vacuum-formed white plastic floor tray (except for F/FC when fitted with the optional glass front).



Optional accessories

Steam Door 101 G

Specially designed for wheelchair access with an extra wide opening, a flat sill and a stainless steel protective edge around the glass door leaf. See page 25 for more information about Tylö doors.

Floor tray

Vacuum-formed, white, special-grade plastic, with integral waste outlet, water trap and adjustable legs. Can be used with all Elysée steam rooms from model 2 D to model 7 F with max. size 212 x 193 cm (except for F/FC when fitted with the optional glass front).

Glass section

Smoked, tempered safety glass in a frame of natural anodised aluminium. Each glass section replaces one wall/seat section. Can be ordered instead of the corresponding wall/seat section at no extra charge.

Service section Basic

Integral shelf compartments. Made of vacuum-formed, special-grade white plastic. Can be ordered instead of the standard wall/seat section at no extra charge.

Tylö Fresh

Electronic fragrance dispenser, see page 42.

Steam Clean

For cleaning and disinfecting, see page 42.



Tylö Elysée

Made of high-tech, vacuum-formed, special-grade white plastic for a sturdy, steamtight construction. Supplied in ready-to-assemble wall and ceiling sections with integral seating and a recessed downlight above each seat. The door is made of tinted, tempered safety glass in a sturdy frame with anodised aluminium handles. Transformer for lighting, air outlet vent and all assembly hardware included.

Our hinged doors for showers and steam rooms are manufactured in 6 mm smoked, tempered, safety glass with an aluminium frame, handles and hinges.



Tylö steam bath Excellent



TYLÖ EXCELLENT

Steam bath without limits

A luxurious steam room raises the standard in any public bathing facility. Tylö Excellent has been designed primarily for professional use, but smaller models can also be a dream solution at home. Tylö Excellent is available in many sizes, from versions for just four or five bathers to magnificent steam rooms that cater for more than 50 guests in comfort.

Tylö Excellent

Made of high-tech, vacuum-formed, special-grade white plastic for a sturdy, steamtight construction. The decorative cover panels can be removed for easy cleaning. The door is made from tinted, tempered safety glass in a sturdy frame with handles of natural anodised aluminium. Air outlet vent and all assembly hardware included.



www.tylo.com/excellent

More optional extras

All Excellent rooms can be equipped with the optional service section, with integrated shelf compartments and space for a mixer tap and shower set. The service section can be ordered instead of the corresponding wall section at no extra charge. Wall sections can also be replaced by glass sections. Do bear in mind, however, that these changes require made-to-measure benches and reduces the number of seats in the steam room.

Optional accessories

Steam Door 101 G

Specially designed for wheelchair access with an extra wide opening, a flat sill and a stainless steel protective edge around the glass door leaf.

Glass section

Smoked, tempered safety glass in a frame of natural anodised aluminium. Each glass section replaces one wall/seat section. Can be ordered instead of the corresponding wall/seat section at no extra charge.

Service section Complete

Made of vacuum-formed, special-grade white plastic. With shelf compartments, jet nozzles for water massage, thermostatically controlled mixer tap, shower head and riser rail. Can be used to replace a wall/seat section.

Service section Basic

Integral shelf compartments. Made of vacuum-formed, special-grade white plastic. Can be ordered instead of the standard wall/seat section at no extra charge.

Fresh Electronic fragrance dispenser, see page 42.

Steam Clean For cleaning and disinfecting, see page 42.

Steam Guard W

(Art. no. 9002 9210)
For wall installation inside the steam room to protect bathers from the hot jet of steam. Recommended in all public facilities.

Steam Guard 778

(Art. no. 9002 9220)
As above, but for 778 mm section in TyLö Elysée steam rooms.

Steam Guard 588

(Art. no. 9002 9230)
As above, for 588 mm section.

Steam Guard Corner

(Art. no. 9002 9240)
As above, for corner section. Lighting.

TYLÖ STEAM GUARD



Tylö hinged doors

Our hinged doors for showers and steam rooms have an extra robust design to cope with wear and tear and heavy traffic in demanding environments such as public bathing facilities. They are manufactured in 6 mm smoked, tempered, safety glass with protective stainless steel trim round the edges and hung in a robust aluminium frame. Door leaves come complete with aluminium handles and hinges, and magnetic strips for a tight seal. There is a drainage strip and air vent at the base of the door. All can be hung to open either left or right.



www.tylo.com/steamdoors



Shutting device for glass doors

(Art. no. 9030 1010)
Hydraulic construction closes glass doors gently and smoothly. Can be combined with the automatic door-closer below.

Automatic door-closer

(Art. no. 9030 1030)
Fits on the hinge side of the door and closes from a fully open position. Easy to fit. The hydraulic shutting device described above is an excellent complement.

Steam Door 50 G

(Art. no. 9091 1010)
Compact model in tempered clear glass with concealed hinges. Frame size: 1855 x 635 x 43 mm.
Width of opening: 550 mm.

Steam Door 60 G

Tinted glass (Art. no. 9091 2000)
Clear glass (Art. no. 9091 2001)
Tempered glass door. Frame size: 1870 x 778 x 60 mm. Width of opening: 670 mm.

Steam Door 101 G

(Art. no. 9091 2025)
Tempered, tinted safety glass door specially adapted for wheelchair access with an extra wide opening and flat sill. Frame size: 1870 x 1010 x 60 mm.
Width of opening: 900 mm.


Here is a bird's eye view of our complete, prefabricated steam rooms, showing sizes and the layout of the interior fittings. All these steam rooms can also be installed reversed. Just add a suitable steam generator with the required output, a control panel and a floor tray, where required. Outer wall coverings are not included.

Layouts for Elysée

Outer ceiling height 2170 mm




Steam head location.



These steam rooms have a one-piece dome


Outer ceiling height 2270 mm



Rooms max. 4 m² can be supplied with a vacuum-formed white plastic floor tray (except for F/FC when fitted with the optional glass wall). The dashed lines show the extent of the ceiling. The rooms can be extended further in the direction of the arrow. For other dimensions and versions, request a quote.


Layouts for Excellent (Article number for size can be found in the applicable price list.)

Outer ceiling height 2070 mm



The dashed lines show the extent of the ceiling. The rooms can be extended further in the direction of the arrow. For other dimensions and versions, request a quote. Glass wall sections and service walls are available in the widths 398, 588 and 778 mm. They can replace corresponding sections in Excellent rooms at no extra charge.

Outer ceiling height 2070 mm



Tylö steam generators


www.tylo.com/steamgenerators

Steam generators Tylö VA

A powerful, fully automatic steam generator with a large water tank, making it ideal for public facilities. Requires connection to electricity and water supplies. Convertible 1-phase/3-phase. IP rating: IP 45. Add your choice of control panel.

Steam 6 VA
(Art. 6620 2020)

Steam 18 VA
(Art. 6620 5020)

Steam 9 VA-K
(Art. 6620 3021)

Steam 24 VA
(Art. 6620 6020)

Steam 12 VA
(Art. 6620 4020)

Tylö Steam VB

A compact steam generator with the same high quality materials, functions and features as the VA models, but with a smaller water tank to ensure rapid heating-up times in small and medium-sized private steam rooms. IP rating: IP 23. Add your choice of control panel.



VA



VB

Steam generator PRO

Tylö's steam generator PRO is a reliable and service-friendly steam generator that gives you everything you could want from a steam generator for public facilities. The steam generator is extremely easy to service. It also measures the water quality and, in the event of low water quality, its integral stoppage protection empties the tank, rinses it clean and refills it – with minimal interruption in steam production. For the sake of safety, the steam generator is also equipped with features such as an over-pressure valve and temperature protection. Convertible 1-phase/3-phase. IP rating: IP 21.

9 PRO
(Art. 6620 7000)

12 PRO
(Art. 6620 7010)



The steam generator is equipped with Tylö's latest control panel, the h1 PRO



Practical, easy-to-use fragrance pump

Tylö's fragrance pump allows you to enjoy an aroma bath in which you can really relax. The fragrance pump is available as an option for your steam generator and connects simply to the outlet pipe. The control panel allows you easily to set how much essential oil is to be fed in over how long a period. The fragrance pump is easy to connect, and can be connected to a normal wall socket.

Internal pump: capacity 170 ml/min, pressure 2 bar, outer diameter 8 mm, inner diameter 2 mm.
Pump housing dimensions (W x D x H, mm): 80 x 90 x 100.

(Art. 9090 8012)

Model	Output (kW)	The steam room's min./max. volume (m³)				Steam production (kg/h)	Size in mm (LxWxH)	Suitable control panel
		Light wall made of glass, plastic, Elysee Excellent room, etc.		Heavy wall made of tiles, concrete, stone, etc.				
		with ventilation	without ventilation	with ventilation	without ventilation			
PRO 9	9	6-16	13-24	4-10	7-16	12	470x600x1160	h1 PRO
PRO 12	12	14-22	22-30	8-15	14-20	16	470x600x1160	
2/4/6 VB*	2.2 4.5 6.6	- max. 4 3-8	max. 2.5 max. 5.5 4-15	- max. 2.5 2-5	max. 1.5 max. 3.3 2.5-8	3 5.5 8	445x130x415	CC10, CC50, CC300 and h1
6 VA	6	3-8	4-15	2-5	2.5-8	8	570x224x485	
9 VA	9	6-16	13-24	4-10	7-16	12	570x224x485	
12 VA	12	14-22	22-30	8-15	14-20	16	570x224x485	
18 VA	18	20-30	28-40	13-20	18-30	24	615x445x485	
24 VA	24	28-40	38-50	18-30	28-40	32	615x445x485	
3x9 VA**	27	38-45	46-60	28-40	38-52	36	570x224x485	
3x12 VA**	36	43-60	58-70	38-50	48-60	48	570x224x485	



See all of our shower products at
www.tylo.com/shower



A world of water and steam

Time for yourself, a personal oasis. Our exclusive steam showers will not leave you unmoved. In the same floor space as a normal shower cubicle, there is room for a whole spa, offering a full range of wonderful bathing functions including a steam bath, cascade, jet nozzles for water massage, tropical cloudburst and conventional shower. A world of water and steam that invigorates all your senses. With its simple, clean lines, the design is a joy to behold. Tylö has many different models that will suit your particular bathroom. We also have flexible and elegant corner showers of the very finest quality. You can design the shower however you want, and easily fold away the doors when they are not in use.



TYLÖ'S CURVED CORNER SHOWER MADE OF CLEAR GLASS WITH ALUMINIUM PROFILE.


Open the door to style and function.

Our glass shower walls win in terms of both style and function. Large handles add a touch of elegance to the entire design, which also has a smart magnetic strip closing embedded in the aluminium profiles. The shower walls come with either straight or curved door sections that can be opened inwards or outwards. By folding the doors in when the shower is not in use, you free up the maximum amount of floor space. Shower walls are available in clear or frosted glass with either aluminium or white profiles. The shower walls measure 80 x 80 cm and 90 x 90 cm and are 2 m tall. You can find more Tylö shower versions at tylo.se and in our Steam & Shower catalogue.

Profile




Aluminium



White

Glass



Clear glass



Frosted glass



Corner shower curved with aluminium profile.



Shower wall W with aluminium profile.



Corner shower straight with aluminium profile.



Corner shower curved frosted and white profile.

Tylö showers

From practical corner solutions that give you maximum flexibility when planning and positioning your shower, via a complete home spa to the generously equipped Tylette Centre hydro-steam cabinet that takes up no more floor space than a corner bathtub. Although our range of options may be big, you don't need a big bathroom to make use of it. All our products have been specially designed to fit standard-sized bathrooms.

Parant corner shower (Art. no. 8900 9100)


Exclusive corner shower with a curved sliding door and front in clear tempered safety glass with natural anodised aluminium profiles. The door runs on soft-suspension, roller-bearing wheels for smooth, silent operation and has magnetic strips for reliable, watertight closing. Optional right-hand/left-hand access: opening 600 cm. The ingenious pivoting wall profiles give Parant a huge advantage over other corner showers – unique flexibility for a perfect fit in every corner. Size: Adjustable, see sketches below. Height 1850 mm.

Parant Center (Art. no. 8900 9102)


As above, but with centre access and slightly higher walls (1900 mm). You can combine Parant Center with our shower walls to give you even greater flexibility to customise your own shower design. See the sketches below.




www.tylo.com/parant




Parant. Examples of sizes for fully flexible corner installations.



Parant. Sizes for regular corner installation.



Parant Center + 2 x Wall 70 + 2 x SP Linking strip.



2 x Parant Center + 1 x SP Linking strip.

Shower doors

Shower door for niche or corner installation (in combination with wall 50-100). Quiet, sprung door with magnetic strip seal. Can be installed to open right or left. The door can be adjusted by +2 cm, and can be cut to reduce its width. Door 110-170 can also be supplied with steam baths, and is then supplemented with a dome, separate steam generator and filler profiles.

Door 110 Natural
Clear glass
(Art. 8900 0055)

Door 150 Natural
Clear glass
(Art. 8900 0070)

Door 130 Natural
Clear glass
(Art. 8900 0060)

Door 170 Natural
Clear glass
(Art. 8900 0080)



www.tylo.com/steamdoors

Shower walls

Wall 50 Natural
Clear glass
(Art. 8900 0337)

Wall 90 Natural
Clear glass
(Art. 8900 0350)

Wall 70 Natural
Clear glass
(Art. 8900 0340)

Wall 100 Natural
Clear glass
(Art. 8900 0360)



www.tylo.com/showerwalls





Spa experience in a shower

Free Fallin' is the name of Tylo's ground-breaking ceiling shower. Its minimalist design gives a sober and elegant impression, with a mounting device that enhances the overall look. Integral LED lighting provides that little bit extra you need for a relaxing spa experience.


Free fallin'

(Art. no. 8900 7090)

Exclusive aluminium ceiling shower with stainless steel and white detailing. Connected to combined hot and cold water as well as 12 V DC. Supplied with fittings for ceiling installation, excl. mixer tap. Can be suspended at any height with the aid of the enclosed steel wire. External dimensions: 922 x 212 x 57 mm.



www.tylo.com/freefallin



Domes

Turn your shower into a steam bath with a one-piece dome in special-grade plastic with assembly profiles of natural anodised aluminium. With a Diamant corner shower, a VB steam generator and a CC control panel, you have the perfect combination.

Tylo's domes are made from opaque plastic and are suitable for most of Tylo's cabinets, corners and doors. The domes are also available in specially designed version (TK-special). Max. length 200 cm. Profiles included for Kupol 90, Diamant and Kupol C 80. Other domes are supplemented with profiles and doors.



www.tylo.com/roofdomes

Filler profiles

Use these natural anodised aluminium assembly profiles to make it easier to adapt your shower to the size of your bathroom.

UPH

(Art. no. 9022 8105)

For use where water pipes are surface mounted or for increasing the installation size by 55 mm.

SP Linking strip

(Art. no. 9022 8115)

Profile for linking shower wall to Parant.



www.tylo.com/profiles





TYLÖ CONTROL PANEL, H-SERIES



See all of our steam bath products at
www.tylo.com/steambath



Accessories and control panels

Step into the steam and reveal who you are. Express your personality with a few well selected accessories. Personal style is paramount at Tylo. Our Scandinavian designers challenge themselves to design accessories that are an aesthetic statement. Ever since our founder Sven-Olof Janson made his first sauna in the 1950s, we have unveiled one ground-breaking innovation after another. Every little detail is infused with consideration and love. Open the door and experience it for yourself; it's all in the details.

Lighting

Fiber Light

Halogen lighting for mood-inducing lighting in all sorts of settings. The lighting source is in a projector placed outside the sauna room. The length of the optical fibres determines the maximum distance between the projector and the light points.

Fiber Light Standard

(Art. no. 9001 1100)

42 W with 6 light points (2 x 2 m, 2 x 2.5 m and 2 x 3 m).

Fiber Light Public

(Art. no. 9001 1120)

42 W with gilded fittings and 8 light points (2 x 2.5 m, 3 x 3 m and 3 x 3.5 m).

Fiber Light Colour S

(Art. no. 9001 1125)

75 W with 9 light points (1 x 0.5 m, 2 x 1 m, 3 x 1.6 m, 2 x 1.9 m, 1 x 2.3 m) and a rotating disc for fixed or changing colours.

Fiber Light Colour

(Art. no. 9001 1130)

75 W, as above but with 9 light points on 2.5 m cables for large rooms.



LED Downlight

(Art. 9001 1096)

Effective spotlighting for recessed installation in the steam room. 12 V/1 W. Connect to 12 V transformer described below. Installation size: ø 42 mm. IP 65.

Lighting strips

Lighting strip

Can be cut to size and installed under the benches in Excellent steam rooms. 12 V. Connect to our 12 V transformer. IP 24.

Transformer 12 V/210 W

(Art. 9090 1015)

200-240 V~/12 V max. 210 W. Can be connected to a 7 m lighting strip or 42 x 5 W bulbs (Downlight).

Lighting strip 38

(Art. 9001 1190)

Length 38 cm. 12 W output.

Transformer 12 V/60 W

(Art. 9090 1020)

As above, but for max. 60 W. Length 190 cm. 57 W output.

Lighting strip 50

(Art. 9001 1192)

Length 50 cm. 15 W output.

Lighting strip 90

(Art. 9001 1194)

Length 90 cm. 27 W output.

Lighting strip 190

(Art. 9001 1196)

Length 190 cm. 57 W output.



Steam light

Steam Light A

(Art. 9090 1000)

Exclusive wall lamp for Tylo steam rooms. Supplied with a glass shade that spreads a warm, gentle glow in the steam bath.

Transformer steam light A, 24 V

(Art. 9090 1010)

Transformer (type Steam Trans 24 V). Used for lighting in steam rooms, 200-240 V/24 V, max. 200 W.



Bringing starlight into the steam bath

Spread a meditative, starlit mood in your steam bath with our starry sky LED lighting. Choose between different colours for special occasions and to match the interior of the steam bath. Available in several sizes, our LED kits come with 20, 30, 40 or 60 crystals and 210 mm connection lead. Also included is a remote control that allows you to choose from seven pre-installed programmes or to install a personal programme up to 20 minutes in length, with as many as 20 colour changes. In the event of power failure, default is the last installed programme.

Ruben Sky LED

11.6 W, 17.4 W, 23.2 W and 34.8 W output. Cable connections, 180 mm mounting sleeves and electronic equipment included. Can also be synchronised with a slave. (If, for instance, you want similar lighting behind the backrest, a slave is used to connect the two.) Ruben Sky LED comes in IP class 44.

Ruben Sky LED 20

(Art. 9001 1072)

Qty 20 pcs. 11.6 W output.

Ruben Sky LED 40

(Art. 9001 1076)

Qty 40 pcs. 23.2 W output.

Ruben Sky LED 30


(Art. 9001 1074)

Qty 30 pcs. 17.4 W output.

Ruben Sky LED 60

(Art. 9001 1078)

Qty 60 pcs. 34.8 W output.





RUBEN LED SKY. STARRY SKY FOR YOUR STEAM BATH.

Control panel h1

CONTROL PANEL H1



Control panel h1

Electronic control panel, equipped with touch-control that not only displays the temperature and running time, but can also be programmed to start up to 24 hours in advance and run for between 0 and 23 hours. The control panel allows you to regulate lighting in the sauna, set the maximum temperature, switch between Fahrenheit and Celsius, use a 12-hour or 24-hour format, set different languages, and more advanced settings and test options.


Tylö h1 control panel can replace Tylö's CC10 and CC50 models. Size: 140 x 80 mm, depth 19 mm.

(Art. 7200 1020)



Functions

With Tylö's h1 control panel, adjusting your sauna or steam bath can be performed simply and attractively.



CONTROL PANEL WITH TOUCH-CONTROL ON STEAM SHOWER COLUMN



Other control panels



CC 10

Electronic control panel for SE 6 and SE 8 heaters. Designed for wall-mounted installation outside the sauna. Max. 3-10 hours running time. 0-10 hour preset. Including external temperature sensor. (See installation instructions for location.) Size: 100 x 150 mm, depth 30 mm. IP 24.

(Art. no. 7121 3000) Surface mounting
(Art. no. 7101 3040) Recessed mounting



CC 50

(Art. no. 7121 4005)
Display for time and temperature, switch for lighting, and security code function. Programmable for 1, 3, 12 and 24 hours or continuous operation. 0-10 hour preset. Size: 130 x 190 mm, depth 27 mm. IP 24.

CC 300

(Art. no. 7111 5150)

CC300 can be set to run between 1 and 24 hours and has a display that indicates temperature, remaining operating time, day and time. In addition, the CC 300 comes with a switch for lighting, Swedish/English instructions, memory features, security code and energy-saving, stand-by function. CC300 has an integral weekly timer for optional automatic on/off operation and stand-by mode at preselected times on the days of your choice. The control panel can also be controlled from external units. Size: 130 x 190 mm, depth 27 mm. IP 24.



External switch

(Art. no. 9090 8040)

On/off switch to control the sauna from locations other than where the CC control panel is installed.

Decorative frame

(Art. no. 9000 1050) Matt brushed
(Art. no. 9000 1051) Gloss brushed
(Art. no. 9000 1052) High-gloss



www.tylo.com/controlpanels



Towel rail

Towel rail

White (Art. no. 9080 1035)

Black (Art. no. 9080 1040)

With their exquisite design, our new towel rails are perfectly suited for the modern bathroom, just like other Tylö products. Five hangers on a small, slender surface, with the column painted white or black. Size: 1430 x 210 mm (h x w). Distance from wall: 110 mm. Output: 140 W.



Hygiene

Descaling agent

Solvent

(Art. no. 9090 3000)

Powder for descaling the water tank in Tylö Combi heaters and Tylö steam generators. Totally odourless and harmless.

Solvent 50

(Art. no. 9090 3007)

As above, in large pack of 50.

Solvent Sulfamic

(Art. no. 9090 3010)

An extremely effective descaling agent for professional use only in public facilities. Sold in 5 kg packs.

Cleansing Kit

(Art. no. 9090 3020)

Removes calcium deposits on shower glass and glazed tiles. Always use the titanium wool ball with liberal amounts of water. Impregnating liquid to protect shower glass and glazed tiles against a build-up of lime deposits.

Tylö Impregnator

(Art. no. 9090 3030)

Preserves and protects shower glass and glazed tiles. Spray on and rinse off with clean water.

Disinfectant

(Art. no. 9002 9100)

For effective disinfecting of sauna rooms. Supplied in 5-litre plastic containers.

Disinfectant

Steam Clean

(Art. no. 9090 8020)

For automatic day-to-day hygiene and disinfection of steam rooms in hotels and public facilities. One hour after completion of the bathing cycle the entire room is automatically flushed with water. A ceiling-mounted sprinkler sprays disinfectant throughout the room and then repeatedly rinses it off with clean water. A security code function ensures that the disinfecting cycle cannot be started by mistake. Steam Clean is therefore the perfect cleaning system for all public facilities.



Mould Remover 450 ml

(Art. no. 9090 3040)

Simply spray on to remove black mould spots quickly and effectively! This mould remover penetrates deep, killing bacteria and mould spores that thrive in the humidity of showers and bathrooms, and helps to inhibit regrowth. Ideal for tiles, joints, shower curtains, plastic matting, etc.

MegaClean 150 ml

(Art. no. 9090 3050)


Kit containing bottle and cleaning sponge. Tylö MegaClean leaves a sparkling result on washbasins, baths, taps, tiles and plastics (for example, bubble baths and steam baths). Tylö MegaClean's unique cleaning action is the result of a carefully balanced mix of cleaning agents and substances that protect surfaces. This makes it easier to remove grime and deposits that normal cleaning agents cannot. Tylö MegaClean is free from environmentally hazardous substances and adds a sparkle to all surfaces that can be washed in water.

Miscellaneous

Steam Outlet

(Art. 9002 9250)

Steam head with integral dispenser for Tylö fragrances. Connect to the steam generator's steam pipe.



Fragrance dispenser, Tylö Fresh

(Art. 9090 8005)

Fragrance dispenser for saunas, steam baths and wherever else Tylö's aromatic essences may be needed. Operates silently and automatically. Installation distance: max. 2 metres between fragrance dispenser and steam head. Tip! Up to four fragrance dispensers can be connected to a single control panel to vary the fragrance in one or more rooms. Size: 350 x 200 mm.

CC Fresh

(Art. 9090 8009)

Electronic control panel for easy, automatic control of our Tylö Fresh dispenser. Supplied complete with transformer. Can be installed at any distance from the fragrance dispenser. Size: 130 x 190 mm, depth 27 mm.



Tylö Fresh Basic

(Art. 9090 8007)

Same as Tylö Fresh above, but with transformer and simple on/off function to manually control fragrance intensity. Can also be connected to lighting or similar functions. Intended for private use.

The following fragrances are available for Tylö Fresh:

(Art. 9002 2032) Pine 25

(Art. 9002 2030) Eucalyptus 25

(Art. 9002 2033) Lavender 25

(Art. 9002 2031) Peppermint 25

(Art. 9002 2036) Citrus 25

Loudspeakers

Loudspeaker A

(Art. 9080 2000)

Steam and heat-resistant design, suitable for recessed installation. 50 W output. Installation size: Ø 117 mm, depth 60 mm. Supplied in pairs.

Loudspeaker B


(Art. 9080 3000)

As above, 50 W, but for surface mounting. Size: 230 x 145, depth 165 mm. Supplied in pairs.



Discover Tylo's products at www.tylo.com

Visit www.tylo.com to explore our products in more detail. We have visualised the products in an exciting way so that you can see all their many benefits. Click on the various points and see what happens. Allow yourself to be inspired!



You can plan your own home spa at www.tylo.com/impression. Design and plan your bathroom exactly as is, or as you would like it to be! Simply choose the most suitable Impression product. Print the results, send them to your friends or share your ideas with Tylo.



You can even find inspiration in our variety of realistic bathroom environment visualisations. Select the type of bathroom and colour scheme you prefer and discover how easily Impression products blend in with a few simple clicks. This is an excellent tool for anyone who is considering renovating, as well as for those of you who are curious about what an Impression product might look like in your existing bathroom.



www.TYLO.com/impression



Find more information on www.tylo.com

You have probably noticed the various symbols in this catalogue. They mean that there is more information about the products on our website. Type www.tylo.com/product name for more details about a particular item. You will then be forwarded directly to that product.



More information about the product is available on our website. You will find details about dimensions, materials and much more. Get to know the product a little better.



Interactive visualisation is available on our website. Use the features to turn products this way and that, and experience all the benefits up close. A fun way to learn more.



You can find more pictures on our website. See the product from other angles, look at the beautiful details and experience the complete product.



Plan your own home spa online. Fantasise and draw, lose yourself in your dreams for a while. Arrange our products in place to see the beautiful end result.

www.TYLO.com/product name





Tylö dealers

