


	DESCRIPCION DESCRIPTION	Rev.01 Año / Year:2006 Pág./Page 1 de 3 ESP / ENG
--	--	--

Producto: Filtro Berlin 1050-1200

Product: Berlin Filter 1050-1200



FILTER "BERLIN" 1050-1200

OUR LATEST NEW RANGE
OF FILTERS FOR DOMESTIC
OR COMMERCIAL APPLICATION

FILTRO "BERLIN" 1050-1200

NUEVA GAMA DE FILTROS
PROYECTADOS PARA EL USO
EN PISCINAS PRIVADAS O
PISCINAS PÚBLICAS

- . Estos filtros están fabricados con proyección simultánea de resina y fibra de vidrio.
- . Montado con colectores y difusor de material plástico inalterable PVC.
- . Equipado con manómetro, purga de aire manual y purga de agua manual.
- . Descarga de arena 2 1/2" para Ø1050-Ø1200
- . Presión máxima de trabajo 2,5 Kg/cm² y opcional 4kg/cm².

- . These filters are manufactured by spraying on layers of polyester resin and fibre glass strands.
- . Fitted with collector arms & diffuser made in UPVC
- . Fitted with pressure gauge, manual air and water purges.
- . Sand purge for diameters of 1050 and 1200mm.
- . Maximum working pressure of 2,5 Kg/cm² , optional 4kg/cm².



	Filtro Berlin 1050-1200 Berlin Filter 1050-1200			
Código <i>Code</i>	00545	00546	07134	07135
Ø (mm)	1050	1200	1050	1200
Conexión (mm) <i>Connections (inch)</i>	75 2 ½"	90 3"	75 2 ½"	90 3"
Velocidad de filtración (m3/h/m2) <i>Filtering velocity (m3/h/m2)</i>	50			
Sup. Filtración (m2) <i>Filtration Area (m2)</i>	0,86	1,13	0,86	1,13
Caudal (m³/h) <i>Flow (m³/h)</i>	43	56	43	56
Presión servicio (bar) <i>Working pressure (bar)</i>	2,5		4	
Carga arena (0,4-0,8mm) (kg) <i>Sand (kg)</i>	575	800	575	800
Carga grava (1-2mm) (kg) <i>grave (1-2mm)(kg)</i>	300			
Peso Neto (kg) <i>Net weight (kg)</i>	85	100	105	130
Peso en servicio (kg) <i>Weight in service (kg)</i>	1300	1670	1300	1670

PACKAGING / EMBALAJE

Model/Modelo Berlin 1050-1200	Standard units / Unidades standard	Box dimension / Dimensiones (m)	Volume/ Volumen (m³)
00545	1	1,24x1,24x1,45	2,22
00546	1	1,4x1,4x1,6	3,13
07134	1	1,24x1,24x1,45	2,22
07135	1	1,4x1,4x1,6	3,13

	Código	Ø	D (mm)	H (mm)	M (mm)	N (mm)	K (mm)
Berlin 1050-1200	00545	1050	1050	1215	310	505	2 ½"
	00546	1200	1200	1415	310	570	3"
	07134	1050	1050	1215	310	505	2 ½"
	07135	1200	1200	1415	310	570	3"

*Approximate dimensions/ Dimensiones aproximadas

