

WALU POOL EVOLUTION

Bar supported safety cover for pools

Compliant with
standard NF P 90-308
Tested by LNE



Take the lead
when it comes
to safety!



MAX
11x5m



WALTER

WALU POOL EVOLUTION

Bar supported safety cover for pools

+ POINTS

100% modular



The only swimming pool cover with bars and panels that can be replaced individually on site

100% adaptable

For all rectangular pools or special shapes up to 11 x 5 m

100% safe


Designed to ensure maximum safety for children and pets



- Special shapes can be made with angled edges
- Compatible with deck level pools



- Telescopic winding tube on special shapes



- Anti-lift kit


Whether your pool is rectangular or has a special shape, with or without steps, with a skimmer or overflow-type, in most cases WALU POOL EVOLUTION will adapt to your pool.

Compliant with
standard NF P 90-308
Tested by LNE

100% versatile

Replaces a solar bubble cover and its cover roller, a winter cover as well as any other safety system

ADJUSTABLE STAINLESS
STEEL RATCHET
winding side



• Option Quick Fastening System

HANDLING

Unwinding



Unwinding with the pulling strap, fastening and setting in the safety position in less than 3 minutes.

Winding

Full winding with a crank in less than 3 minutes.

- Space saving when rolled up at the end of the pool
- Winding possible on two sides for greater versatility
- Winding by two people with two cranks for pools over 50 m²



Motorization (option)

Motorised winding with WALU COOL or WALU MATIC.
Motorised unwinding with WALU WINCH coupled with WALU COOL or WALU MATIC.





Compliant with
standard NF P 90-308
Tested by LNE

**3-YEAR
WARRANTY***

PVC sheet

2 types of PVC sheet:



Opaque version:
slows down
the development
of algae



Solar version:
captures the free
calories from
the sun

Colors

Opaque versions



Blue



Emerald



Swiss green



Sand




Grey




Anthracite grey

The sand coloured reverse side of the PVC (except for grey) avoids its discoloration on the coping.

Solar versions



Blue
translucent



White
translucent

*according to our general warranty terms delivered with the cover.



COVERS & EQUIPMENT FOR SWIMMING POOLS

Losberger France S.A.S. WALTER PISCINE

Z.I. BP 58 F-67172 BRUMATH Cedex

Tel. +33 390 29 51 00 - Fax +33 390 29 51 19 - walterpiscine@walter.fr

www.walter-piscine.com

Technical specifications:

Replaceable bars:

Double-grooved anodised aluminium -
Profile half-round, diameter 44 mm

Replaceable panels:

Opaque or solar PVC sheet 650 g/m²

Average cover weight:

1 250 g/m²

Fastening on the width:

Straps, stainless steel ratchets and pegs

Fastening on the length:

Cabiclic cords and stainless steel pegs

Opaque colors:

Blue - Emerald - Swiss green - Sand - Grey
- Anthracite grey

Solar colors:

Blue translucent - white translucent

Unwinding:

With the pulling strap

Winding:

With a crank (two cranks for pools over
50 m²)

Motorised unwinding (option):

WALU COOL + WALU WINCH or
WALU MATIC + WALU WINCH

Motorised winding (option):

WALU COOL or WALU MATIC

**Swimming pool safety cover designed
to prevent access to the pool for
children under 5 years of age.**

**Keep this document for future
reference.**

Warning:

This cover is no substitute for common
sense and individual responsibility. It is
not intended to dispense with the need
for supervision of young children by their
parents and/or responsible adults, which
remains essential for their safety.

Distributed by:

As part of an ongoing continuous
improvement process, WALTER reserves
the right to alter its products - available on
stock - without any prior notice. Photos and
illustrations are not contractually binding.
Printing errors excepted.